

## Hinged frame 10B for 3 modules (A..C)



| <b>\</b> /         |                                       |
|--------------------|---------------------------------------|
| Part number        | 09 14 010 0303 XL                     |
| Specification      | Hinged frame 10B for 3 modules (AC)   |
| HARTING eCatalogue | https://b2b.harting.com/09140100303XL |

Image is for illustration purposes only. Please refer to product description.

## Identification

| Category                     | Accessories              |
|------------------------------|--------------------------|
| Series                       | Han-Modular <sup>®</sup> |
| Type of accessory            | Hinged frame             |
| Description of the accessory | for 3 modules<br>A C     |
| Version                      |                          |
| Size                         | 10 B                     |
| Technical characteristics    |                          |
| Stripping length             | 8 10 mm                  |
| Limiting temperature         | -40 +125 °C              |
| Mating cycles                | ≥500                     |
| Material properties          |                          |
| Material                     | Zinc die-cast            |

| Material                    | Zinc die-cast  |
|-----------------------------|--|
| RoHS                        | compliant with exemption                               |
| RoHS exemptions             | 6(c): Copper alloy containing up to 4 % lead by weight |
| ELV status                  | compliant with exemption                               |
| China RoHS                  | 50   |
| REACH Annex XVII substances | Not contained  |
| REACH ANNEX XIV substances  | Not contained  |
| REACH SVHC substances       | Yes  |

Page 1 / 2 | Creation date 2024-04-11 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com



## Material properties

| REACH SVHC substances                | Lead                                 |
|--------------------------------------|--------------------------------------|
| ECHA SCIP number                     | 564b7d75-7bf6-4cfb-acb1-2168eb61b675 |
| California Proposition 65 substances | Yes                                  |
| California Proposition 65 substances | Lead<br>Nickel                       |

## Specifications and approvals

| Specifications                 | IEC 60664-1<br>IEC 61984                                |
|--------------------------------|---|
| UL / CSA                       | UL 1977 ECBT2.E235076                                   |
| Approvals                      | DNV GL  |
| Commercial data                |   |
| Packaging size                 | 100   |
| Net weight                     | 53 g  |
| Country of origin              | Germany   |
| European customs tariff number | 85389099  |
| ETIM                           | EC002312  |
| eCl@ss                         | 27440206 Module carrier frame for industrial connectors |

Page 2 / 2 | Creation date 2024-04-11 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com