GlobTek, Inc. www.globtek.com	Drawing Title: Connector, UL 1310 Class 2 Transformer, Efficiency Level: , Case Color/Style: , Wall Plug-in, Unregulated AC-DC Power Supplements of Conference of Conferen	oly AC Adaptor, Input
186 Veterans Drive,	Model No. Connector	
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. V01-TWISTLOCK	Rev A
Fax (201) 784-0111		

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at http://www.globtek.com/iso-certificates/

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (http://www.globtek.com/terms-and-conditions/).

Prop 65 Statement: https://www.globtek.com/prop-65-statement.pdf

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:

GlobTek, Inc. www.globtek.com	Drawing Title: Connector, UL 1310 Class 2 Transformer, Efficiency Level: , Case Color/Style: , Wall Plug-in, Unregulated AC-DC Power Supporting: 100-240V~, 50-60Hz, , Output Rating: W, 0.0V@0.0A, Output Configuration: mm, / Cond, , , Ferrite: ,	oly AC Adaptor, Input
186 Veterans Drive,	Model No. Connector	
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. V01-TWISTLOCK	Rev A
Fax (201) 784-0111		

REVISION HISTORY

F	REV	DESCRIPTION	SUB	DATE	APPROVED
	Α	Initial release	DR	03/02/2022	DAVID

AGENCY ON	INF	DOCUMEN	TS

RoHS/RoHS3 Declaration	https://www.globtek.com/pdf/rohs_cert/01t3a000005KjdKAAS
REACH Declaration	https://www.globtek.com/pdf/iso_certificates/REACH.pdf
Conflict Minerals Declaration	https://www.globtek.com/pdf/conflict-minerals.pdf
Prop 65 Statement	https://en.globtek.com/prop-65-statement.pdf

IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering.

Drawing Title: Connector, UL 1310 Class 2 Transformer, Efficiency Level: , Case Color/Style: , Wall Plug-in, Unregulated AC-DC Power Supply AC Adaptor, Input GlobTek, Inc. Rating: 100-240V~, 50-60Hz, , Output Rating: W, 0.0V@0.0A, Output Configuration: mm, / Cond, , , Ferrite: , www.globtek.com Model No. Connector 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Part No./Ordering No. V01-TWISTLOCK Rev A Fax (201) 784-0111

REWIREABLE PLUG 5.5*2.5*9.5MM WITH WINGS FOR LOCKING


RATING: 0.5A 12V

DIALECTRIC WITHSTAND: 500 V

Insulation Resistance: > 100 M Ω @ 500 VDC Allowable Operation Temperature: -20 °C to 70 °C

Lifetime: 5000 Insertions





CONTENT

GlobTek, Inc. www.globtek.com	Drawing Title: Connector, UL 1310 Class 2 Transformer, Efficiency Level: , Case Color/Style: , Wall Plug-in, Unregulated AC-DC Power Suprating: 100-240V~, 50-60Hz, , Output Rating: W, 0.0V@0.0A, Output Configuration: mm, / Cond, , , Ferrite: ,	ply AC Adaptor, Input	
186 Veterans Drive,	Model No. Connector		
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. V01-TWISTLOCK	Rev A	
Fax (201) 784-0111			

PACKAGING	
Packing Spec P/N:	
Box Qty:	1000
Gift Box Size (mm):	
Gift Box Color:	White
Master Carton Size (mm):	TBD
Master Carton Cubic Volume (m³): 0.00
Master GW (Kg):	kg
wt Ea. (Kg):	kg
wt Ea. (Kg):	kg
LABEL SPECS: ,	
PACK SPEC:	