

Alcoswitch MTG, CGS HS

TE Internal #: 494073-1 FFC Connectors, Housing, Cable-to-Cable, 5 Position, 2.54 mm [.1 in] Centerline, 1 Row, Pin, Carton, Mating Retention, Mating Alignment, CGS HS

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Connectors



FFC Connector Product Type: Housing

Connector System: Cable-to-Cable

Number of Positions: 5

Centerline (Pitch): 2.54 mm [.1 in]

Number of Rows: 1

Features

connectivity

Product Type Features

Connector & Housing Type	Plug
Connector & Contact Terminates To	Wire & Cable
FFC Connector Product Type	Housing
Connector System	Cable-to-Cable
Configuration Features	
Number of Positions	5
Number of Rows	1
Body Features	
Primary Product Color	Black
Contact Features	
Contact Type	Pin
Contact Current Rating (Max)	2 A
Mechanical Attachment	

C For support call +1 800 522 6752

494073-1

FFC Connectors, Housing, Cable-to-Cable, 5 Position, 2.54 mm [.1 in] Centerline, 1 Row, Pin, Carton, Mating Retention, Mating Alignment, CGS HS



Mating Retention	With
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
FFC Cable Entry	Straight
Usage Conditions	
Operating Temperature Range	-65 - 105 °C[-85 - 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Carton
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

494073-1


FFC Connectors, Housing, Cable-to-Cable, 5 Position, 2.54 mm [.1 in] Centerline, 1 Row, Pin, Carton, Mating Retention, Mating Alignment, CGS HS



Also in the Series | Alcoswitch MTG



Also in the Series | CGS HS



0			
Other Automotive Connector	Plug & Socket Lighting Connector	RJ45 Connectors(1)	Wire-to-Board Connector Assemblies
Accessories(1)	Accessories(1)		& Housings(1)


Customers Also Bought



494073-1

FFC Connectors, Housing, Cable-to-Cable, 5 Position, 2.54 mm [.1 in] Centerline, 1 Row, Pin, Carton, Mating Retention, Mating Alignment, CGS HS





Documents

Product Drawings 5 POS FFC PIN HSG W/MTG EA

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_494073-1_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_494073-1_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_494073-1_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.