



Data  
Physical data

|        |                        |
|--------|------------------------|
| Width  | 0.7 mm / 0.028 inches  |
| Height | 69.2 mm / 2.724 inches |
| Depth  | 51.9 mm / 2.043 inches |

Mechanical data

|               |              |
|---------------|--------------|
| Mounting type | snap-on type |
|---------------|--------------|

Material data

|                             |                                                          |
|-----------------------------|----------------------------------------------------------|
| Note (material data)        | Information on material specifications can be found here |
| Color                       | orange                                                   |
| Material group              | I                                                        |
| Insulation material         | Polyamide (PA66)                                         |
| Flammability class per UL94 | V0                                                       |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

|           |          |
|-----------|----------|
| Fire load | 0.062 MJ |
| Weight    | 2.1 g    |

## Commercial data

|                       |               |
|-----------------------|---------------|
| Product Group         | 22 (TOPJOB S) |
| eCl@ss 10.0           | 27-14-11-33   |
| eCl@ss 9.0            | 27-14-11-33   |
| ETIM 8.0              | EC000886      |
| ETIM 7.0              | EC000886      |
| ECCN                  | NO DATA       |
| PU (SPU)              | 25 pcs        |
| Packaging type        | box           |
| Country of origin     | DE            |
| GTIN                  | 4050821037200 |
| Customs tariff number | 85389099990   |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Approvals / Certificates

### Declarations of conformity and manufacturer's declarations

| Logo                                                                               | Approval                      | Additional Approval Text | Certificate name |
|------------------------------------------------------------------------------------|-------------------------------|--------------------------|------------------|
|  | Railway<br>WAGO GmbH & Co. KG | -                        | Railway Ready    |

## Required accessories

### End plate

|                                                                                    |                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Through terminal block                                                             |                                                                                                                                                                                                                                                                                                                                                             |
|  | <b>Item no.: 2000-2201</b><br>Double-deck terminal block; Through/through terminal block; L/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray<br><a href="http://www.wago.com/2000-2201">www.wago.com/2000-2201</a>                                                                                         |
|  | <b>Item no.: 2000-2239</b><br>Double-deck terminal block; 4-conductor through terminal block; N; with marker carrier; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; blue<br><a href="http://www.wago.com/2000-2239">www.wago.com/2000-2239</a> |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



**Item no.: 2000-2257**

Double-deck terminal block; Ground conductor/through terminal block; 1 mm<sup>2</sup>; PE/L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2257](http://www.wago.com/2000-2257)



**Item no.: 2000-2247**

Double-deck terminal block; Ground conductor/through terminal block; 1 mm<sup>2</sup>; PE/N; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2247](http://www.wago.com/2000-2247)



**Item no.: 2000-2258**

Double-deck terminal block; Shield/through terminal block; 1 mm<sup>2</sup>; Shielding/L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2258](http://www.wago.com/2000-2258)



**Item no.: 2000-2248**

Double-deck terminal block; Shield/through terminal block; 1 mm<sup>2</sup>; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2248](http://www.wago.com/2000-2248)



**Item no.: 2000-2232**

Double-deck terminal block; Through/through terminal block; N/L; with marker carrier; Blue conductor entry lower deck; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2232](http://www.wago.com/2000-2232)



**Item no.: 2000-2234**

Double-deck terminal block; Through/through terminal block; N/N; with marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; blue

[www.wago.com/2000-2234](http://www.wago.com/2000-2234)



**Item no.: 2000-2233**

Double-deck terminal block; Through/through terminal block; L/N; with marker carrier; Blue conductor entry upper deck; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2233](http://www.wago.com/2000-2233)



**Item no.: 2000-2238**

Double-deck terminal block; 4-conductor through terminal block; L; with marker carrier; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2238](http://www.wago.com/2000-2238)



**Item no.: 2000-2209**

Double-deck terminal block; 4-conductor through terminal block; N; without marker carrier; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; blue

[www.wago.com/2000-2209](http://www.wago.com/2000-2209)



**Item no.: 2000-2218**

Double-deck terminal block; Shield/through terminal block; 1 mm<sup>2</sup>; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2218](http://www.wago.com/2000-2218)



**Item no.: 2000-2228**

Double-deck terminal block; Shield/through terminal block; 1 mm<sup>2</sup>; Shielding/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2228](http://www.wago.com/2000-2228)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 2000-2217**


Double-deck terminal block; Ground conductor/through terminal block; 1 mm<sup>2</sup>; PE/N; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2217](http://www.wago.com/2000-2217)**Item no.: 2000-2227**


Double-deck terminal block; Shield/through terminal block; 1 mm<sup>2</sup>; PE/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2227](http://www.wago.com/2000-2227)**Item no.: 2000-2231**

Double-deck terminal block; Through/through terminal block; L/L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2231](http://www.wago.com/2000-2231)**Item no.: 2000-2202**

Double-deck terminal block; Through/through terminal block; N/L; without marker carrier; Blue conductor entry lower deck; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2202](http://www.wago.com/2000-2202)**Item no.: 2000-2208**

Double-deck terminal block; 4-conductor through terminal block; L; without marker carrier; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2208](http://www.wago.com/2000-2208)**Item no.: 2000-2203**

Double-deck terminal block; Through/through terminal block; L/N; without marker carrier; Blue conductor entry upper deck; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2203](http://www.wago.com/2000-2203)**Item no.: 2000-2204**

Double-deck terminal block; Through/through terminal block; N/N; without marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; blue

[www.wago.com/2000-2204](http://www.wago.com/2000-2204)**Item no.: 2000-2201/352-000**


Double-deck terminal block; Through/through terminal block; L/L; without marker carrier; for KNX applications; Conductor entry (lower deck), black marking; Conductor entry (upper deck), red marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2201/352-000](http://www.wago.com/2000-2201/352-000)**Item no.: 2000-2201/353-000**

Double-deck terminal block; Through/through terminal block; L/L; without marker carrier; for KNX applications; Conductor entry (lower deck), yellow marking; Conductor entry (upper deck), white marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2000-2201/353-000](http://www.wago.com/2000-2201/353-000)**Item no.: 2200-2201/353-000**

Double-deck terminal block; with push-button; Through/through terminal block; L/L; without marker carrier; Conductor entry (lower deck), yellow marking; Conductor entry (upper deck), white marking; for DIN-rail 35 x 15 and 35 x 7.5; 1 mm<sup>2</sup>; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2200-2201/353-000](http://www.wago.com/2200-2201/353-000)**Item no.: 2200-2201/352-000**

Double-deck terminal block; with push-button; Through/through terminal block; L/L; without marker carrier; Conductor entry (lower deck), black marking; Conductor entry (upper deck), red marking; for DIN-rail 35 x 15 and 35 x 7.5; 1 mm<sup>2</sup>; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; gray

[www.wago.com/2200-2201/352-000](http://www.wago.com/2200-2201/352-000)

Ground terminal block

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 2000-2237**

Double-deck terminal block; 4-conductor ground terminal block; 1 mm<sup>2</sup>; PE; internal commoning; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; green-yellow

[www.wago.com/2000-2237](http://www.wago.com/2000-2237)**Item no.: 2000-2207**

Double-deck terminal block; 4-conductor ground terminal block; 1 mm<sup>2</sup>; PE; without marker carrier; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; green-yellow

[www.wago.com/2000-2207](http://www.wago.com/2000-2207)**Downloads****Documentation****Bid Text**

|                          |                  |               |          |
|--------------------------|------------------|---------------|----------|
| 2000-2292<br>X81 - Datei | 19 февр. 2019 г. | xml<br>2.6 kB | Download |
|--------------------------|------------------|---------------|----------|

|                          |                 |                |          |
|--------------------------|-----------------|----------------|----------|
| 2000-2292<br>doc - Datei | 27 апр. 2017 г. | doc<br>24.1 kB | Download |
|--------------------------|-----------------|----------------|----------|

**Additional Information**

|                                             |  |               |          |
|---------------------------------------------|--|---------------|----------|
| Technical Section<br>Technical explanations |  | pdf<br>2.3 MB | Download |
|---------------------------------------------|--|---------------|----------|

**CAD/CAE-Data****CAE data**

|                             |     |          |
|-----------------------------|-----|----------|
| EPLAN Data Portal 2000-2292 | URL | Download |
|-----------------------------|-----|----------|

|                          |     |          |
|--------------------------|-----|----------|
| WSCAD Universe 2000-2292 | URL | Download |
|--------------------------|-----|----------|

|                        |     |          |
|------------------------|-----|----------|
| ZUKEN Portal 2000-2292 | URL | Download |
|------------------------|-----|----------|

**CAD data**

|                        |     |          |
|------------------------|-----|----------|
| 2D/3D Models 2000-2292 | URL | Download |
|------------------------|-----|----------|

**Asset Administration Shell**

|                                      |     |          |
|--------------------------------------|-----|----------|
| Asset Administration Shell 2000-2292 | URL | Download |
|--------------------------------------|-----|----------|

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

Compliance Search

|                                            |     |          |
|--------------------------------------------|-----|----------|
| Environmental Product Compliance 2000-2292 | URL | Download |
| End plate; 0.7 mm thick; orange            |     |          |

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!