



FEMALE PLUG M12 90° ANGLED



NOTES:
RATED VOLTAGE: 3, 4 contacts 250V
5 contacts 60V
8 contacts 30V
RATED CURRENT: 3, 4, 5 contacts 4A
8 contacts 2A
PROTECTION CLASS: IP 67
TEMPERATURE: CABLE INFORMATION
ON SHEET 2



CONTACTS POSITION FRONT VIEW:

3 CONTACTS		4 CONTACTS		5 CONTACTS		8 CONTACTS	
PIN	WIRE	PIN	WIRE	PIN	WIRE	PIN	WIRE
1	BROWN	1	BROWN	1	BROWN	1	WHITE
2	---	2	WHITE	2	WHITE	2	BROWN
3	BLUE	3	BLUE	3	BLUE	3	GREEN
4	BLACK or YELLOW/GREEN	4	BLACK	4	BLACK	4	YELLOW
5	---	5	---	5	GREY or YELLOW/GREEN	5	GREY
						6	PINK
						7	BLUE
						8	RED

CODING REQUIRED TO IEC 61076-2-101				
DOCUMENT STATUS	P1	RELEASE DATE	2022/11/30	11:33:43

FOR OPTIONS SEE - NUMERICAL CODE - ON SHEET 2

7	1	LABEL YELLOW	VINYL	---
	-	PRINTING FOR CABLES lxx	---	---
6	-	CABLE	SEE SHEET 2	---
5	-	OVERMOLDING BLACK	TPU	---
4	1	COUPLING NUT FEMALE	BRASS	NICKEL
3	1	INSERT FEMALE BLACK	PUR	---
2	1	ORING RED	FPM	---
1	3 / 4 / 5 / 8	CONTACT M12 FEMALE	BRASS	SELECTIVE Au OVER Ni
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
DIMENSION UNITS	SCALE	CURRENT REV DESC: OBSOLETE PART NUMBERS AS PER PCN#510807.		
mm	2:1	molex CSE M12 XP AC FE RA XM SE UNSH		
GENERAL TOLERANCES (UNLESS SPECIFIED)				
ANGULAR TOL ± 1.0 °				
4 PLACES	±			
3 PLACES	±			
2 PLACES	± 0.05	PRODUCT CUSTOMER DRAWING		
1 PLACE	± 0.1	INITIAL REVISION:		
0 PLACES	± 0.2	DRWN: JMARSZALEK 2016/01/11 APPR: RSILLER 2016/04/08		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES
			A3-SIZE	120065
		MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
		SEE PART LIST	GENERAL MARKET	1 OF 5

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

80X001XXXXXX

80=M12x1
Single ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts


Heads style:
001=Plug Female
90° Angled

Cable type: See Table

Units:
M=Meter
C=Centimeter

Length
Examples:
005=0.5 unit
010=1 unit
100=10 units


OPTIONS



H= 2 pcs. of I/D Carrier
PVC Transparent
(Cables lxx & P82 always
with 2 pcs. of I/D Carrier
even if no H in
Engineering No.)


Overmold color:
Blank (Standard)=Black TPU
Blank=Yellow TPU for cables A09,S19,S20,S26
Blank=Yellow TPE-E for cables K03,K05
A=Grey / G=Black / Y=Yellow
Blank=Yellow PVC for cable E13
Coupling Nut:
Blank (Standard) & 3=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
Blank=7 for cables I20, I26, K03, K05, P82, S26
9=Knurled / Hexagonal Brass Ni Plated SW13

COUPLING NUTS



CABLE INFORMATION(for more information see Cable Data Sheet).

CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
A09	3 / 4 / 5	0.34mm²	PVC YELLOW	UL 2661	I/II A/B 90°C/300V	-	-	-	-
E13	3	18AWG	PVC YELLOW	UL 2661/1731	I/II A/B 80°C/300V	-	-	-	-
E02	3 / 4 / 5 / 8	0.25mm²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E03	3 / 4 / 5	0.34mm²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E52	3 / 4 / 8	0.34mm²	PVC GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
H08	3 / 4 / 5 / 8	0.25mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H09	3 / 4 / 5	0.34mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H12	4	0.50mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-50°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000, Temp max 60°C	-
H69	4	0.20mm²	PUR GREY LS0H	-	-	-	-	-	-
I02	3 / 4 / 8	0.25mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I03	3 / 4 / 5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I04	4	0.50mm²	PVC CEI GREY	-	-	-25°C to +70°C	-5°C to +70°C	-	-
I20	3 / 4	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	YES
I26	5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
K03	5	18 AMG	TPE YELLOW	PLTC 105C E470965	I/II A/B 90°C/300V	-	-	-	-
K05	3 / 4 / 5	0.34mm²	TPE YELLOW	UL ITC E195601 or PLC	I/II A/B 90°C/300V	-	-	-	-
P02	3 / 4 / 5 / 8	0.25mm²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P03	3 / 4 / 5	0.34mm²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P12	3 / 5	0.50mm²	PUR BLACK	-	-	-30°C to +90°C	-5°C to +90°C	-	-
P19	8	0.25mm²	PUR BLACK	-	-	-40°C to +90°C, 7.5xO.D.	-15°C to +90°C, 12.5xO.D.	2 000 000 cycles, 15xO.D.	YES
P20	3 / 4 / 5	0.34mm²	PUR BLACK LS0H	-	-	-30°C to +80°C	-	-	YES
P82	3 / 4 / 5	0.34mm²	PUR IRR ORANGE	-	-	-50°C to +105°C, 5xO.D.	-40°C to +105°C, 7.5xO.D.	-	-
S19	8	0.25mm²	PVC YELLOW	UL 2661/1569	C22.2 II A 105°C/300V	-30°C to +105°C, 10xO.D.	-15°C to +105°C, 15xO.D.	-	YES
S20	3 / 4 / 5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES
S26	5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES



SCALE 1:1

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.1

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: OBSOLETE PART NUMBERS AS PER PCN#510807.

EC NO: 726454

DRWN: LIKITV

CHK'D: GGA

APPR: GGA

INITIAL REVISION:

DRWN: JMARSZALEK

APPR: RSILLER

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

2022/09/27

2022/11/30

2022/11/30

2016/01/11

2016/04/08

2016/01/11

2016/04/08

A3-SIZE

120065

SEE PART LIST

GENERAL MARKET

2 OF 5

moLEX

CSE M12 XP AC FE RA XM SE UNSH

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

1200658471

DOC TYPE

PSD

DOC PART

000

REVISION

A12

10				9				8				7				6				5				4				3				2				1							
PART LIST																																											
No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length																											
1 1200060007 803001E03M020 2m				36 1200060508 804001I03M150 15m				71 1200063645 803001E13M100 10m				106 1200656216 808001E02M200 20m																															
2 1200060008 803001E03M050 5m				37 1200060510 804001P03M030 3m				72 1200063682 803001P82M0207 2m				107 1200656382 808001P02M400 40m																															
3 1200060009 803001E03M100 10m				38 1200060516 804001P03M150 15m				73 1200063754 808001P02M0501A 5m				108 1200656595 804001E02M0501 5m																															
4 1200060010 803001I03M050 5m				39 1200060517 804001P03M200 20m				74 1200063825 805001I03M050G 5m				109 1200658010 804001H09M050H 5m																															
5 1200060011 803001P03M020 2m				40 1200060652 805001E03M020 2m				75 1200064134 804001E52M050 5m				110 1200658011 804001H09M100H 10m																															
6 1200060012 803001P03M050 5m				41 1200060654 805001E03M050 5m				76 1200064174 804001E03M5005 50m				111 1200658071 804001E03M050H 5m																															
7 1200060013 803001P03M100 10m				42 1200060655 805001E03M0501 ✱ 5m				77 1200064210 803001I03M051 5.1m				112 1200658089 805001P12M020 2m																															
8 1200060021 804001E03M020 2m				43 1200060657 805001E03M100 10m				78 1200064244 804001I03M040 4m				113 1200658185 804001H09M150G 15m																															
9 1200060022 804001E03M050 5m				44 1200060663 805001P03M020 2m				79 1200064289 804001P03M400 40m				114 1200658193 804001H09M050 5m																															
10 1200060023 804001E03M100 10m				45 1200060664 805001P03M100 10m				80 1200064350 804001P03M120 12m				115 1200658194 804001H09M100 10m																															
11 1200060024 804001P03M020 2m				46 1200061336 804001E03M0205 2m				81 1200064391 804001P03M1001 10m				116 1200658234 803001E03M0501 ✱ 5m																															
12 1200060025 804001P03M050 5m				47 1200061538 803001E03M051 5.1m				82 1200064433 804001H09M050G 5m				117 1200658245 808001H08M050 5m																															
13 1200060042 804001I03M050 5m				48 1200061552 803001E03M066 6.6m				83 1200064436 804001H09M100G 10m				118 1200658261 808001E02M050 5m																															
14 1200060175 803001E03M010 1m				49 1200061553 803001E03M058 5.8m				84 1200065013 803001P03M030G 3m				119 1200658271 804001E03M0505 5m																															
15 1200060178 803001E03M030 3m				50 1200061563 805001I03M050 5m				85 1200650814 804001E52M050A 5m				120 1200658296 805001H09M020 2m																															
16 1200060184 803001E03M150 15m				51 1200061760 805001P03M150 15m				86 1200650960 808001P02M020 2m				121 1200658297 805001H09M050 5m																															
17 1200060187 803001E03M200 20m				52 1200061850 805001I26M050 5m				87 1200650961 808001P02M040 4m				122 1200658298 805001H09M100 10m																															
18 1200060202 803001I03M020 2m				53 1200061986 804001P03M010 1m				88 1200650962 808001P02M050 5m				123 1200658310 808001E02M0501 5m																															
19 1200060204 803001I03M030 3m				54 1200062027 803001P03M022 2.2m				89 1200650963 808001P02M100 10m				124 1200658314 805001P03M200 20m																															
20 1200060205 803001I03M100 10m				55 1200062093 804001H69M100 10m				90 1200651567 804001A09M100 10m				125 1200658326 805001I03M015 1.5m																															
21 1200060212 803001P03M030 3m				56 1200062292 803001E03M003 0.3m				91 1200651571 804001A09M150 15m				126 1200658338 804001E03M050G 5m																															
22 1200060216 803001P03M150 15m				57 1200062313 804001P03M100H 10m				92 1200651575 804001A09M200 20m				127 1200658339 804001E03M100G 10m																															
23 1200060479 804001E03M010 1m				58 1200062334 805001I03M100 10m				93 1200651642 804001K05M050 5m				128 1200658359 805001E03M150 15m																															
24 1200060480 804001E03M0201 2m				59 1200062575 804001I03M0501 5m				94 1200651644 804001K05M100 10m				129 1200658403 803001P03M003 0.3m																															
25 1200060481 804001E03M030 3m				60 1200062764 805001P82M1007 10m				95 1200651771 803001E52M050A 5m				130 1200658471 805001I03M010 1m																															
26 1200060483 804001E03M0501 ✱ 5m				61 1200062837 803001P03M006 0.6m				96 1200651783 804001P03M020G 2m				131 1200658482 804001E03M015 1.5m																															
27 1200060485 804001E03M1001 ✱ 10m				62 1200062838 808001E52M100 10m				97 1200651785 804001P03M050G 5m				132 1200658483 808001P02M150 15m																															
28 1200060486 804001E03M150 15m				63 1200062851 803001I03M025 2.5m				98 1200651787 804001P03M100 10m				133 1200658485 804001H69M010 1m																															
29 1200060487 804001E03M200 20m				64 1200063286 803001E13M030 3m				99 1200651793 805001P03M050 5m				134 1200658513 804001H09M020 2m																															
30 1200060488 804001E03M250 25m				65 1200063320 803001E13M060 6m				100 1200651797 808001E52M020 2m				135 1200658541 804001E03M070 7m																															
31 1200060489 804001E03M300 30m				66 1200063340 803001P03M025 2.5m				101 1200652147 804001P03M040 4m				136 1200658564 803001E03M040 4m																															
32 1200060492 804001E52M100A 10m				67 1200063386 805001P82M0507 5m				102 1200655050 803001E52M050 5m				137 1200658573 805001E03M010 1m																															
33 1200060503 804001I03M020 2m				68 1200063532 804001I03M0505 5m				103 1200655071 805001P82M0207 2m				138 1200658574 805001E03M030 3m																															
34 1200060505 804001I03M030 3m				69 1200063563 804001I04M030G 3m				104 1200656064 805001E03M0271 2.7m				139 1200658575 805001E03M040 4m																															
35 1200060507 804001I03M100 10m				70 1200063564 805001I26M100 10m				105 1200656065 808001E02M0601 6m				140 1200658585 808001E02M010 1m																															
NOTES:																																											
✱ - Part No. with Yellow PVC overmolding																																											
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																											
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBERS AS PER PCN#510807.				molex																																			
mm		1:1																																									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 726454 DRWN: LIKITV 2022/09/27 CHK'D: GGA 2022/11/30 APPR: GGA 2022/11/30				CSE M12 XP AC FE RA XM SE UNSH																																			
ANGULAR TOL ± 1.0 °																																											
4 PLACES		±		INITIAL REVISION: DRWN: JMARSZALEK 2016/01/11 APPR: RSILLER 2016/04/08				DOCUMENT NUMBER 1200658471		DOC TYPE PSD		DOC PART 000		REVISION A12																													
3 PLACES		±																																									
2 PLACES		± 0.05		MATERIAL NUMBER SEE PART LIST				CUSTOMER GENERAL MARKET																																			
1 PLACE		± 0.1																																									
0 PLACES		± 0.2		THIRD ANGLE PROJECTION DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING A3-SIZE		SERIES 120065		SHEET NUMBER 3 OF 5																															
DOCUMENT STATUS		P1		RELEASE DATE		2022/11/30 11:33:43		9				8				7				6				5				4				3				2				1			

PART LIST

No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length
141	1200658586	808001E02M020	2m	176	1200659033	804001E02M100	10m	211	1200659773	804001H12M0509	✱ 5m	246	1200658206	804001P03M060	6m
142	1200658587	808001E02M030	3m	177	1200659039	804001E02M070	7m	212	1200659775	803001P03M050HY	5m	247	1200658311	803001P03M200	20m
143	1200658589	808001E02M100	10m	178	1200659048	804001E02M1001	10m	213	1200658588	808001E02M040	4m	248	1200658312	803001P03M300	30m
144	1200658594	803001I03M040	4m	179	1200659068	804001I03M050Y	5m	214	1200060482	804001E03M040	4m	249	1200658611	803001P03M040	4m
145	1200658607	805001I03M030	3m	180	1200659078	804001I03M100Y	10m	215	1200061540	803001E03M033	3.3m	250	1200658617	805001P03M010	1m
146	1200658608	805001I03M040	4m	181	1200659084	805001I26M050Y	5m	216	1200061541	803001E03M022	2.2m	251	1200658627	805001P03M030	3m
147	1200658619	808001P02M010	1m	182	1200659095	804001H09M050HY	5m	217	1200061542	803001E03M011	1.1m	252	1200651639	804001K05M020	2m
148	1200658649	808001H08M020	2m	183	1200659112	804001H12M050	5m	218	1200063648	804001E03M2001	20m	253	1200651640	804001K05M030	3m
149	1200658652	808001H08M100	10m	184	1200659117	805001I26M100Y	10m	219	1200064145	804001E03M3001	30m	254	1200651628	804001K03M050	5m
150	1200658664	805001H09M010	1m	185	1200659118	803001I03M050Y	5m	220	1200064402	804001E03M005	0.5m	255	1200651634	804001K03M100	10m
151	1200658666	805001H09M030	3m	186	1200659120	803001I03M030Y	3m	221	1200658884	804001E03M100H	10m	256	1200651720	805001K03M020	2m
152	1200658668	804001H09M010	1m	187	1200659121	803001I03M100Y	10m	222	1200658898	804001E03M150H	15m	257	1200651722	805001K03M050	5m
153	1200658670	804001H09M030	3m	188	1200659124	804001H09M100HY	10m	223	1200659352	805001E03M1001	10m	258	1200652155	805001K03M100	10m
154	1200658683	808001I02M010	1m	189	1200659140	805001H09M200	20m	224	1200659353	805001E03M2501	25m	259	1200658783	804001E03M060	6m
155	1200658684	808001I02M020	2m	190	1200659147	805001E03M200	20m	225	1200659502	805001E03M005	0.5m	260	1200651557	804001A09M0402	4m
156	1200658685	808001I02M030	3m	191	1200659160	804001I03M020Y	2m	226	1200658647	808001H08M010	1m	261	1200651558	804001A09M050	5m
157	1200658686	808001I02M040	4m	192	1200659164	804001E03M025	2.5m	227	1200658648	808001H08M015	✱ 1.5m	262	1200651560	804001A09M0502	5m
158	1200658687	808001I02M050	5m	193	1200659168	803001I03M025Y	2.5m	228	1200658650	808001H08M030	✱ 3m	263	1200651562	804001A09M060	6m
159	1200658688	808001I02M100	10m	194	1200659173	803001E03M050H	5m	229	1200658651	808001H08M040	4m	264	1200651564	804001A09M070	7m
160	1200658707	804001I03M010G	1m	195	1200659181	803001E03M100H	10m	230	1200658196	804001H09M200	20m	265	1200651565	804001A09M080	8m
161	1200658708	804001I03M020G	2m	196	1200659182	804001E03M020H	2m	231	1200658665	805001H09M015	1.5m	266	1200651566	804001A09M090	9m
162	1200658709	804001I03M030G	3m	197	1200659235	803001E03M300	30m	232	1200658667	805001H09M040	✱ 4m	267	1200651569	804001A09M120	12m
163	1200658710	804001I03M040G	4m	198	1200659251	804001H12M010	1m	233	1200658669	804001H09M015	✱ 1.5m	268	1200651573	804001A09M170	17m
164	1200658711	804001I03M050G	5m	199	1200659252	804001H12M030	3m	234	1200658671	804001H09M040	4m	269	1200651574	804001A09M180	18m
165	1200658712	804001I03M100G	10m	200	1200659266	804001P03M020Y	2m	235	1200658714	803001H09M015	1.5m	270	1200651696	805001A09M005	0.5m
166	1200658713	803001H09M010	1m	201	1200659270	804001H12M100	10m	236	1200658716	803001H09M030	3m	271	1200651697	805001A09M020	2m
167	1200658715	803001H09M020	2m	202	1200659342	804001P03M1501	15m	237	1200658717	803001H09M040	4m	272	1200651699	805001A09M0202	2m
168	1200658718	803001H09M050	5m	203	1200659343	804001P03M2501	25m	238	1200659675	804001H09M220	22m	273	1200651700	805001A09M040	4m
169	1200658719	803001H09M100	10m	204	1200659361	804001I03M030Y	3m	239	1200658620	808001P02M030	3m	274	1200651701	805001A09M050	5m
170	1200658931	808001E02M150	15m	205	1200659373	803001E02M030	3m	240	1200061318	803001P03M010	1m	275	1200651703	805001A09M060	6m
171	1200658932	808001E02M250	25m	206	1200659398	808001P02M100Y	10m	241	1200063405	804001P03M003	0.3m	276	1200651704	805001A09M070	7m
172	1200658933	805001P12M050	5m	207	1200659592	805001E03M080	8m	242	1200063793	804001P03M140	14m	277	1200651705	805001A09M080	8m
173	1200658934	805001P12M100	10m	208	1200659637	808001E02M1001	10m	243	1200652156	805001P03M060	6m	278	1200651706	805001A09M100	10m
174	1200658992	804001P03M050H	5m	209	1200659771	804001H12M1009	10m	244	1200656575	805001P03M300	30m	279	1200651708	805001A09M1002	10m
175	1200659032	804001E02M050	5m	210	1200659772	804001H12M0309	✱ 3m	245	1200658184	805001P03M040	4m	280	1200651868	805001A09M0708	7m

NOTES:
- Part No. with Yellow PVC overmolding

F

EFEDCBA