


Actuator

704.404.01

Distribution by
DigiKey

DigiKey



<https://digikey.eao.com/p/704.404.01>

Your product:



704.404.01 Actuator

FRONT

Front dimension:	Ø 29 mm
Front bezel colour:	Grey
Front bezel material:	Plastic

MOUNTING

Design:	raised
---------	--------

OPERATING-/INDICATION PART

Lever material:	plastic
Lever shape:	short
Lever colour:	Black

ELECTRICAL CHARACTERISTICS

Standards:	The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1
------------	---

MECHANICAL CHARACTERISTIC

Weight:	0.034 kg
Mechanical lifetime:	≤2.5 Mio. cycles of operation
Switching angle:	42° left / 42° right
Switching action:	Momentary - Rest - Momentary
Switching positions:	3 positions

AMBIENT CONDITION

IP Protection:	IP65 front side
Storage temperature:	– 40 °C ... + 85 °C
Operating temperature:	– 40 °C ... + 55 °C


OTHER

Short Description:	Actuator, Ø 29 mm, optional illuminative, Black, short, Grey, Plastic, Momentary - Rest - Momentary
---------------------------	---


Hints:	Max. 3 switching elements can be clipped on
---------------	---

max. number of switching elements:	3
---	---


Mounting cut-outs:



Switching positions:



Dimension drawings:



Wiring diagrams:

