

Actuator

704.011.618

Distribution by
DigiKey

DigiKey



<https://digikey.eao.com/p/704.011.618>

Your product:



704.011.618 Actuator

FRONT

Front dimension:	Ø 35 mm
Front form:	round
Front bezel material:	Aluminium
Front bezel colour:	Nature

MOUNTING

Design:	flush
----------------	-------

OPERATING-/INDICATION PART

Lens material:	Aluminium
Lens illumination:	non illuminative
Lens optics:	opaque
Lens shape:	flush
Lens colour:	Blue

ELECTRICAL CHARACTERISTICS

Standards:	The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1
-------------------	---

MECHANICAL CHARACTERISTIC

Operating force:	8 N
Operating Travel:	ca. 5.8 mm ± 0.2 mm
Switching action:	Momentary


Weight: 0.051 kg
Mechanical lifetime: ≤3 Mio. cycles of operation

AMBIENT CONDITION


Storage temperature: - 40 °C ... + 85 °C
IP Protection: IP65 front side
Operating temperature: - 40 °C ... + 55 °C

OTHER

max. number of switching elements: 3
Housing colour: Grey
Housing material: Plastic
Short Description: Actuator, Ø 35 mm, flush, non illuminative, Blue, Aluminium, opaque, round, Nature, Aluminium, anodised, Momentary
Hints: Max. 3 switching elements can be clipped on, The colour of anodised aluminium parts can vary due to technical production reasons
Mounting cut-outs:



Wiring diagrams:



Dimension drawings:

