



Relays & Contactors > Relays > Signal Relays



Contact Voltage Rating: **120 VAC**
Coil Power Rating DC: **6 mW**
Product Mount Type: **Socket**
Coil Voltage Rating: **125 VDC**
Contact Current Rating: **10 A**

Features

Configuration Features

Contact Arrangement	4 Form C (4PDT)
Contact Number of Poles	4

Electrical Characteristics

Input Voltage	125 VDC
Contact Voltage Rating	120 VAC
Coil Power Rating DC	6 mW
Coil Voltage Rating	125 VDC
Contact Current Rating	10 A
Contact Switching Voltage (Max)	120 VAC

Termination Features

Relay Connection Type	Plug-In
-----------------------	---------

Mechanical Attachment

Product Mount Type	Socket
--------------------	--------

Dimensions

Product Width	45 mm[1.77 in]
Product Length	45 mm[1.77 in]
Product Height	109 mm[4.29 in]



Usage Conditions

Operating Temperature Range	0 - 60 °C
-----------------------------	-----------

Operation/Application

Actuating System	DC
Indicator Type	LED
Coil Magnetic System	Monostable

Packaging Features

Packaging Method	Box & Carton
------------------	--------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 1423155-6
GPDN=RLY,GEN,PURP,125VDC

Also in the Series | Agastat GP Series



Signal Relays(16)

Customers Also Bought



TE Part # CB3127-000
D-1744-03-LF



TE Part # 1099383-1
Shear Bolt Connectors up to 35 kV



TE Part # CB5059-000
BSTS-20X25



TE Part # 407425-000
HVS-T-3583S



TE Part # 720819-000
MWTM-16/5-A/U(B100)



TE Part # 69437
AMPACT HAND TOOL



TE Part # CY0088-000
CI-007146APR/1

Documents

Product Drawings
GPDQ=RLY,125VDC,LED

English

Datasheets & Catalog Pages
5-1773450-5_sec12_GP_ML_TR

English

