



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Terminating Cover**

Primary Product Color: **Clear**

Primary Product Material: **Polycarbonate**

Operating Temperature (Max): **125 °C [257 °F]**

Operating Temperature Range: **-55 - 125 °C [-67 - 257 °F]**

Features

Product Type Features

Product Profile	Standard
Connector Cover Type	Terminating Cover

Body Features

Primary Product Color	Clear
Primary Product Material	Polycarbonate

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 - 125 °C[-67 - 257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 646502-1
2MM HM DUST PROTECTOR TYPE A /B

Also in the Series | Z-PACK 2mm HM

Backplane Connector Housings(4)

Backplane Power Connectors(6)

Connector Caps & Covers(62)

Connector Contacts(2)

Connector Hardware(97)

Hard Metric Backplane Connectors (267)

High Speed Backplane Connectors(1)

Insertion & Extraction Tools(2)



Rectangular Power Connectors(87)

Customers Also Bought



TE Part # HD36-24-16SN
DEUTSCH HD30 Housings



TE Part # DRB16-60SAE-L018
PLG, 60P, BLK, E, CAP, A



TE Part # WB-60SA
WEDGE LOCK, 60P, PLG, GRY, DRB, A



TE Part # 7580142002
DWP-125-3/8-0-STK



TE Part # 0462-203-04141
SOC, SOLID, SIZE 4, 6AWG, NI



TE Part # 416947-000
CWT-6-W122-5



TE Part # 532491-000
CWT-13-W122-5



TE Part # 333951-000
55A1842-16-MST4-9CS2275



TE Part # BSA085F23420235000
923 PLUG

Documents

Product Drawings
2MM HM DUST PROTECTOR 6U CARD
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_646502-7_J.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_646502-7_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_646502-7_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Product Specification

English