

Actuator

704.059.5

Distribution by
DigiKey**DigiKey**<https://digikey.eao.com/p/704.059.5>

Your product:



704.059.5 Actuator

FRONT

Front bezel colour:	Black
Front bezel material:	Plastic
Front dimension:	Ø 29 mm
Front form:	round

MOUNTING

Design:	raised
---------	--------

OPERATING-/INDICATION PART

Lens colour:	Green
Lens optics:	transparent
Lens material:	Plastic
Lens shape:	flush
Illumination colour:	Green
Lens illumination:	illuminative

ELECTRICAL CHARACTERISTICS

Standards:	The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1
------------	---

MECHANICAL CHARACTERISTIC

Weight:	0.056 kg
Operating force:	8 N

Mechanical lifetime:	≤3 Mio. cycles of operation
Terminal:	Screw terminal
Operating Travel:	ca. 5.8 mm ± 0.2 mm
Switching action:	Maintained

AMBIENT CONDITION

IP Protection:	IP65 front side
Storage temperature:	– 40 °C ... + 85 °C
Operating temperature:	– 40 °C ... + 55 °C

OTHER

max. number of switching elements:	3
---	---


Hints:	Frontring with protective cover to be mounted with a torque of 0.4 Nm onto actuator,Max. 3 switching elements can be clipped on
---------------	---

Short Description:	Actuator, Ø 29 mm, flush, illuminative, Green, Plastic, transparent, round, Black, Plastic, Maintained, Screw terminal, Green
---------------------------	---


Housing colour:	Grey
------------------------	------

Housing material:	Plastic
--------------------------	---------

Dimension drawings:



Mounting cut-outs:



Wiring diagrams:

