Your Expert Partner for **Human Machine Interfaces**

# Actuator

Distribution by
DigiKey

704.084.5



https://digikey.eao.com/component/704.084.5/e...

Your product:



# 704.084.5
# Actuator

*Loading . . .*

## FRONT

| | |
|---|---|
| **Front dimension:** | Ø 40 mm |
| **Front form:** | Round |
| **Front bezel colour:** | Grey |
| **Front bezel material:** | Plastic |

## MOUNTING

| | |
|---|---|
| **Design:** | Raised |
| **Mounting type:** | Panel mounting |

## OPERATING-/INDICATION PART

| | |
|---|---|
| **Lens colour:** | Green |
| **Lens material:** | Plastic |
| **Lens illumination:** | Illuminated |
| **Lens shape:** | Mushroom-head |
| **Lens optics:** | opaque |
| **Illumination colour:** | Green |

## MECHANICAL CHARACTERISTICS

| | |
|---|---|
| **Terminal:** | Screw terminal |
| **Switching action:** | Momentary |
| **Mechanical lifetime:** | ≤3 Mil. cycles of operation |
| **Weight:** | 0.042 kg |

## CERTIFICATE

**REACH:** REACH compliant

**RoHS:** RoHS compliant

## OTHER

**Short Description:** Actuator, Ø 40 mm, Mushroom-head, Illuminated, Green, Plastic, opaque, Round, Grey, Plastic, Momentary, Screw terminal, Green


**Housing colour:** Grey

**Housing material:** Plastic


**Hints:** Max. 3 switching elements can be clipped on

**max. number of switching elements:** 3

**Wiring diagrams:**





**Mounting cut-outs:**




A = Screw terminal
B = Push-in terminal (PIT)
C = Plug-in terminal 6.3 mm x 0.8 mm
D = Double plug-in terminal 6.3 mm x 0.8 mm

**Dimension drawings:**




A = Screw terminal