


Actuator

704.413.010

Distribution by
DigiKey

DigiKey

<https://digikey.eao.com/p/704.413.010>

Your product:



704.413.010 Actuator

FRONT

Front bezel colour:	Black
Front bezel material:	Aluminium
Front dimension:	Ø 35 mm

MOUNTING

Design:	flush
---------	-------

OPERATING-/INDICATION PART

Lever material:	plastic
Lever shape:	short
Lever colour:	Black

ELECTRICAL CHARACTERISTICS

Standards:	The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1
------------	---

MECHANICAL CHARACTERISTIC

Switching positions:	2 positions
Mechanical lifetime:	≤2.5 Mio. cycles of operation
Switching action:	Rest - Momentary
Weight:	0.056 kg
Switching angle:	42° right

AMBIENT CONDITION

Storage temperature: – 40 °C ... + 85 °C

IP Protection: IP65 front side

Operating temperature: – 40 °C ... + 55 °C


OTHER

Hints: Max. 3 switching elements can be clipped on

Short Description: Actuator, Ø 35 mm, non illuminative, Black, short, Black, Aluminium, anodised, Rest - Momentary

max. number of switching elements: 3


Dimension drawings:



Wiring diagrams:



Switching positions:



Mounting cut-outs:

