

Actuator

704.099.010

Distribution by
DigiKey

DigiKey



<https://digikey.eao.com/p/704.099.010>

Your product:



704.099.010 Actuator

FRONT

Front dimension:	Ø 35 mm
Front bezel colour:	Black
Front bezel material:	Aluminium

MOUNTING

Design:	flush
---------	-------

OPERATING-/INDICATION PART

Lever colour:	Black
Lever shape:	long
Lever material:	plastic

ELECTRICAL CHARACTERISTICS

Standards:	The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1
------------	---

MECHANICAL CHARACTERISTIC

Switching positions:	3 positions
Switching angle:	42° left / 42° right
Weight:	0.056 kg
Switching action:	Momentary - Rest - Maintained
Mechanical lifetime:	≤2.5 Mio. cycles of operation


AMBIENT CONDITION

IP Protection:	IP65 front side
Storage temperature:	– 40 °C ... + 85 °C
Operating temperature:	– 40 °C ... + 55 °C


OTHER

max. number of switching elements:	3
Short Description:	Actuator, Ø 35 mm, non illuminative, Black, long, Black, Aluminium, anodised, Momentary - Rest - Maintained
Hints:	Max. 3 switching elements can be clipped on


Dimension drawings:



Switching positions:



Mounting cut-outs:



Wiring diagrams:

