


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




NOTES:


- 1.ALL PRODUCTS 100% TEST OPEN,SHORT,MISS WIRE&INTERMITTENT TEST;
2.INSULATION RESISTANCE:300V DC/0.01S/10MΩ
3.DIELECTRIC STRENGTH:300V AC/0.01S/1mA
4.RESISTANCE TEST: 2 Ω MAX.

5	PVC	PVC BLACK(BH-201) 45P UL94V-0	A/R	KG
4	PE	PE NATURAL	A/R	KG
3	SCREW	#4-40 UNC NI PLATED PVC MOLDED BLACK (BH-201)	4	SET
2	CONNECTOR	DB 9P MALE PIN G/F BLACK INSULATION SHELL AU PLATED	2	SET
1	CABLE	UL 2464 28AWG*9C+AL+D+PVC JACKET OD=5.0mm COLOR:BLACK (BH-201) VW-1	A/R	mm
ITEM	NAME	DESCRIPTION	Q'TY	UNIT

WIRE CONNECTION

CN1	WIRE COLOR	CN2
1	RED	1
2	GREEN	2
3	GRAY	3
4	BLACK	4
5	ORANGE	5
6	BLUE	6
7	YELLOW	7
8	BROWN	8
9	PURPLE	9
SHELL	DRAIN	SHELL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A 03MAY2024		 TE Connectivity Ltd.	
		CHK WENKE HE 05MAY2024			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME DB 9P M TO M BLACK 10 FEET CABLE ASS'y	
		0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -			
MATERIAL -		FINISH -		APVD WENKE HE 05MAY2024	
				PRODUCT SPEC -	
				APPLICATION SPEC -	
		WEIGHT 0		SIZE A3	CAGE CODE 00779
				DRAWING NO C-2478170	
				RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 1:1	SHEET 2 OF 25
				REV A	



4

3

2

1

© 2024

TE Connectivity. All Rights Reserved.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

AS SHOWN 2478170-5

CN1

9

5

6

1

②④⑤

⑥

1525±30

①

③④⑤

⑥

5

9

1

6

CN2

3.9±0.5

NOTES:

1.ALL PRODUCTS 100% TEST OPEN,SHORT,MISS WIRE&INTERMITTENT TEST;

2.INSULATION RESISTANCE:300V DC/0.01S/10MΩ

3.DIELECTRIC STRENGTH:300V AC/0.01S/1mA

4.RESISTANCE TEST: 2 Ω MAX.

6	PVC	PVC BLACK(BH-201) 45P UL94V-0	A/R	KG
5	PE	PE NATURAL	A/R	KG
4	SCREW	#4-40 UNC NI PLATED PVC MOLDED BLACK (BH-201)	4	SET
3	CONNECTOR	DB 9P MALE PIN G/F BLACK INSULATION SHELL AU PLATED	1	SET
2	CONNECTOR	DB 9P FEMALE PIN G/F BLACK INSULATION SHELL AU PLATED	1	SET
1	CABLE	UL 2464 26AWG*9C+AL+D+PVC JACKET OD=5.8 COLOR:BLACK (BH-201) VW-1	A/R	mm
ITEM	NAME	DESCRIPTION	Q'TY	UNIT

WIRE CONNECTION

CN1	WIRE COLOR	CN2
1	RED	1
2	GREEN	2
3	GRAY	3
4	BLACK	4
5	ORANGR	5
6	BLUE	6
7	YELLOW	7
8	BROWN	8
9	PURPLE	9
SHELL	DRAIN	SHELL

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± -

4 PLC ± -

ANGLES ± -

FINISH

MATERIAL

-

DWN 03MAY2024

CHK 05MAY2024

APVD 05MAY2024

PRODUCT SPEC

APPLICATION SPEC

WEIGHT 0

TE

TE Connectivity Ltd.

NAME

DB 9P F TO F BLACK 6 FEET CABLE ASS'y

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO


CUSTOMER DRAWING

SCALE 1:1

SHEET 5 OF 25

REV A

1470-19 (1/15)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± —
1 PLC ± —
2 PLC ± —
3 PLC ± —
4 PLC ± —
ANGLES ± —
FINISH —

MATERIAL

—

DWN
GIRIDHAR, A
03MAY2024

CHK
WENKE HE
05MAY2024

APVD
WENKE HE
05MAY2024

PRODUCT SPEC
—

APPLICATION SPEC
—

WEIGHT
0

CUSTOMER DRAWING

TE Connectivity Ltd.

NAME
DB 9P M TO F BLACK 10 FEET CABLE ASS'y

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-2478170


RESTRICTED TO
—


SCALE
1:1

SHEET
6 OF 25


REV
A

1470-19 (1/15)





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




1.ALL PRODUCTS 100% TEST OPEN,SHORT,MISS WIRE&INTERMITTENT TEST;
2.INSULATION RESISTANCE:300V DC/0.01S/10MΩ
3.DIELECTRIC STRENGTH:300V AC/0.01S/1mA
4.RESISTANCE TEST: 2 Ω MAX.


5	PVC	PVC BLACK(BH-201) 45P UL94V-0	A/R	KG
4	PE	PE NATURAL	A/R	KG
3	SCREW	#4-40 UNC NI PLATED MOLDED COLOR BLACK (BH-201)	4	PCS
2	CONNECTOR	DB 15P MALE PIN G/F BLACK INSULATION SHELL AU PLATED	2	SET
1	CABLE	UL20276 26AWG*15C+AL+D+PVC JACKET OD=6.2mm COLOR:BLACK (BH-201) VW-1	A/R	mm
ITEM	NAME	DESCRIPTION	Q'TY	UNIT

WIRE CONNECTION

CN1	WIRE COLOR	CN2
1	RED	1
2	WHITE	2
3	DARK GREEN	3
4	BLACK	4
5	BROWN	5
6	PINK	6
7	LIGHT GREEN	7
8	GRAY	8
9	PURPLE	9
10	BLUE	10
11	RED & WHITE	11
12	ORANGE	12
13	YELLOW	13
14	BLACK & WHITE	14
15	BROWN & WHITE	15
SHELL	BRAID	SHELL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A 03MAY2024		TE Connectivity Ltd.											
		CHK WENKE HE 05MAY2024		NAME DB 15P M TO M BLACK 2.5 FEET CABLE ASS'y — —											
		APVD WENKE HE 05MAY2024													
		PRODUCT SPEC —													
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± — 4 PLC ± — ANGLES ± —		APPLICATION SPEC —		SIZE		CAGE CODE		DRAWING NO		RESTRICTED T			
						A3		00779		C-2478170		—			
MATERIAL —		FINISH —		WEIGHT 0											
CUSTOMER DRAWING										SCALE 1:1		SHEET 9 OF 25		REV A	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




NOTES:

- 1.ALL PRODUCTS 100% TEST OPEN,SHORT,MISS WIRE&INTERMITTENT TEST;
2.INSULATION RESISTANCE:300V DC/0.01S/10MΩ
3.DIELECTRIC STRENGTH:300V AC/0.01S/1mA
4.RESISTANCE TEST: 2 Ω MAX.


6	PVC	PVC BLACK(BH-201) 45P UL94V-0	A/R	KG
5	PE	PE NATURAL	A/R	KG
4	SCREW	#4-40 UNC NI PLATED MOLDED COLOR BLACK (BH-201)	4	PCS
3	CONNECTOR	DB 15P MALE PIN G/F BLACK INSULATION SHELL Sn PLATED	1	SET
2	CONNECTOR	DB 15P FEMALE PIN G/F BLACK INSULATION SHELL Sn PLATED	1	SET
1	CABLE	UL20276 26AWG*15C+AL+D+PVC JACKET OD=6.2mm COLOR:BLACK (BH-201) VW-1	A/R	mm
ITEM	NAME	DESCRIPTION	Q'TY	UNIT

WIRE CONNECTION

CN1	WIRE COLOR	CN2
1	RED	1
2	WHITE	2
3	DARK GREEN	3
4	BLACK	4
5	BROWN	5
6	PINK	6
7	LIGHT GREEN	7
8	GRAY	8
9	PURPLE	9
10	BLUE	10
11	RED & WHITE	11
12	ORANGE	12
13	YELLOW	13
14	BLACK & WHITE	14
15	BROWN & WHITE	15
SHELL	BRAID	SHELL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 03MAY2024 GIRIDHAR, A		TE Connectivity Ltd.									
		CHK 05MAY2024 WENKE HE											
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD 05MAY2024 WENKE HE		NAME							
				PRODUCT SPEC		DB 15P M TO F BLACK 2.5 FEET CABLE ASS'y							
				APPLICATION SPEC		-							
				-		-							
MATERIAL		FINISH		WEIGHT 0		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO				
-		-				A3	00779	C-2478170	-				
CUSTOMER DRAWING								SCALE	1:1	SHEET	10 OF 25	REV	A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




NOTES:

- 1.ALL PRODUCTS 100% TEST OPEN,SHORT,MISS WIRE&INTERMITTENT TEST;
2.INSULATION RESISTANCE:300V DC/0.01S/10MΩ
3.DIELECTRIC STRENGTH:300V AC/0.01S/1mA
4.RESISTANCE TEST: 2 Ω MAX.

6	PVC	PVC BLACK(BH-201) 45P UL94V-0	A/R	KG
5	PE	PE NATURAL	A/R	KG
4	SCREW	#4-40 UNC NI PLATED MOLDED COLOR BLACK (BH-201)	4	PCS
3	CONNECTOR	DB 15P MALE PIN G/F BLACK INSULATION SHELL Sn PLATED	1	SET
2	CONNECTOR	DB 15P FEMALE PIN G/F BLACK INSULATION SHELL Sn PLATED	1	SET
1	CABLE	UL20276 26AWG*15C+AL+D+PVC JACKET OD=6.2mm COLOR:BLACK (BH-201) VW-1	A/R	mm
ITEM	NAME	DESCRIPTION	Q'TY	UNIT

WIRE CONNECTION

CN1	WIRE COLOR	CN2
1	RED	1
2	WHITE	2
3	DARK GREEN	3
4	BLACK	4
5	BROWN	5
6	PINK	6
7	LIGHT GREEN	7
8	GRAY	8
9	PURPLE	9
10	BLUE	10
11	RED & WHITE	11
12	ORANGE	12
13	YELLOW	13
14	BLACK & WHITE	14
15	BROWN & WHITE	15
SHELL	BRAID	SHELL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A CHK WENKE HE APVD WENKE HE PRODUCT SPEC — APPLICATION SPEC — WEIGHT 0		03MAY2024 05MAY2024 05MAY2024		TE Connectivity Ltd.					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± — 4 PLC ± — ANGLES ± —		NAME DB 15P M TO F BLACK 5 FEET CABLE ASS'y							
											
MATERIAL —		FINISH —		SIZE A3		CAGE CODE 00779		DRAWING NO C-2478170		RESTRICTED TO —	
CUSTOMER DRAWING						SCALE 1:1		SHEET 11 OF 25		REV A	

© 2024

TE Connectivity. All Rights Reserved.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

11

1

15

5

CN1

1525±30

①

②③④

⑤

⑤

②③④

5

15

1

11

CN2

3.9±0.3

NOTES:

1.ALL PRODUCTS 100% TEST OPEN,SHORT,MISS WIRE&INTERMITTENT TEST;

2.INSULATION RESISTANCE:300V DC/0.01S/10MΩ

3.DIELECTRIC STRENGTH:300V AC/0.01S/1mA

4.RESISTANCE TEST: 2Ω MAX.

5	PVC	PVC BLACK(BH-201) 45P UL94V-0	A/R	KG
4	PE	PE NATURAL	A/R	KG
3	SCREW	#4-40 UNC NI PLATED MOLDED COLOR BLACK (BH-201)	4	PCS
2	CONNECTOR	DB 15P MALE PIN G/F BLACK INSULATION SHELL Sn PLATED	2	SET
1	CABLE	UL20276 26AWG*15C+AL+D+PVC JACKET OD=6.2mm COLOR:BLACK (BH-201) VW-1	A/R	mm
ITEM	NAME	DESCRIPTION	Q'TY	UNIT

WIRE CONNECTION

CN1	WIRE COLOR	CN2
1	RED	1
2	WHITE	2
3	DARK GREEN	3
4	BLACK	4
5	BROWN	5
6	PINK	6
7	LIGHT GREEN	7
8	GRAY	8
9	PURPLE	9
10	BLUE	10
11	RED & WHITE	11
12	ORANGE	12
13	YELLOW	13
14	BLACK & WHITE	14
15	BROWN & WHITE	15
SHELL	BRAID	SHELL

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± -

4 PLC ± -

ANGLES ± -

FINISH -

DWN
GIRIDHAR, A
03MAY2024

CHK
WENKE HE
05MAY2024

APVD
WENKE HE
05MAY2024

PRODUCT SPEC
-

APPLICATION SPEC
-

WEIGHT
0

TE

TE Connectivity Ltd.

NAME
DB 9P M TO M BLACK 5 FEET CABLE ASS'y

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-2478170

CUSTOMER DRAWING

SCALE
1:1

SHEET
12 OF 25

REV
A

1470-19 (1/15)

PACKAGE DETAILS : 2478170-1

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PACKING MATERIAL

ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS

DESCRIPTION

1. ACCORDING TO THE DRAWING FOLD THE CABLE.
2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS
3. ENVELOPE THE CARTON ADD PACKAGE.
4. UNIT: mm



Q'TY : 120 PCS

N.W. : 13.2 KG/CTN G.W. : 14.7 KG/CTN




备注: 摆板时注意标签朝外摆放

Note: When placing the board, make sure that the label is facing outward

外箱标签

所有标签信息由业务提供



Carton label
All tag information is provided by the business





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A	03MAY2024	 TE Connectivity Ltd.	
		CHK WENKE HE	05MAY2024		
		APVD WENKE HE	05MAY2024	NAME DB 9P M TO M BLACK 6 FEET CABLE ASS'y	
		PRODUCT SPEC —		—	
		APPLICATION SPEC —		—	
		WEIGHT 0	A3	CAGE CODE 00779	RESTRICTED TO —
		CUSTOMER DRAWING		SCALE 1:1	REV A

PACKAGE DETAILS : 2478170-2


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—

PACKING MATERIAL			
ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS
DESCRIPTION 1. ACCORDING TO THE DRAWING FOLD THE CABLE. 2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS 3. ENVELOPE THE CARTON ADD PACKAGE. 4. UNIT: mm   Q'TY : 70 PCS N.W. : 9.7 KG/CTN G.W. : 11.2 KG/CTN			







备注: 摆板时注意标签朝外摆放
Note: When placing the board, make sure that the label is facing outward




外箱标签
所有标签信息由业务提供
Carton label
All tag information is provided by the business




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A 03MAY2024	 TE Connectivity Ltd.		
		CHK WENKE HE 05MAY2024			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD WENKE HE 05MAY2024	NAME DB 9P M TO M BLACK 10 FEET CABLE ASS'y	
		0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± — 4 PLC ± — ANGLES ± —	PRODUCT SPEC — APPLICATION SPEC —	—	
MATERIAL —	FINISH —	WEIGHT 0	SIZE A3	CAGE CODE 00779	DRAWING NO C-2478170
CUSTOMER DRAWING			SCALE 1:1	SHEET 14 OF 25	RESTRICTED TO — REV A


PACKAGE DETAILS : 2478170-3

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



PACKING MATERIAL			
ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS
DESCRIPTION 1. ACCORDING TO THE DRAWING FOLD THE CABLE. 2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS 3. ENVELOPE THE CARTON ADD PACKAGE. 4. UNIT: mm 			
Q'TY : 120 PCS			
N.W. : 11.78 KG/CTN		G.W. : 13.28 KG/CTN	



备注: 摆板时注意标签朝外摆放
Note: When placing the board, make sure that the label is facing outward





外箱标签
所有标签信息由业务提供
Carton label
All tag information is provided by the business




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A 03MAY2024	 TE Connectivity Ltd.		
		CHK WENKE HE 05MAY2024			
		APVD WENKE HE 05MAY2024	NAME DB 9P F TO F BLACK 6 FEET CABLE ASS'y		
		PRODUCT SPEC			
		APPLICATION SPEC			
		WEIGHT 0	SIZE A3	CAGE CODE 00779	RESTRICTED TO -
		CUSTOMER DRAWING	SCALE 1:1	SHEET 15 of 25	REV A

PACKAGE DETAILS : 2478170-4


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PACKING MATERIAL			
ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS
DESCRIPTION 1. ACCORDING TO THE DRAWING FOLD THE CABLE. 2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS 3. ENVELOPE THE CARTON ADD PACKAGE. 4. UNIT: mm 4. UNIT: mm   Q'TY : 70 PCS N.W. : 9.82 KG/CTN G.W. : 11.32 KG/CTN			








备注: 摆板时注意标签朝外摆放
Note: When placing the board, make sure that the label is facing outward




外箱标签
所有标签信息由业务提供
Carton label
All tag information is provided by the business









THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A 03MAY2024		TE Connectivity Ltd.			
		CHK WENKE HE 05MAY2024					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		NAME DB 9P F TO F BLACK 10 FEET CABLE ASS'y			
				—			
				—			
				—			
				—			
MATERIAL —		FINISH —		SIZE A3	CAGE CODE 00779	DRAWING NO C-2478170	RESTRICTED TO —
CUSTOMER DRAWING				SCALE 1:1	SHEET 16 OF 25	REV A	

PACKAGE DETAILS : 2478170-5

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PACKING MATERIAL

ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS


DESCRIPTION

1. ACCORDING TO THE DRAWING FOLD THE CABLE.
2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS
3. ENVELOPE THE CARTON ADD PACKAGE.
4. UNIT: mm




Q'TY : 140 PCS

N.W. : 15.15 KG/CTN G.W. : 16.65 KG/CTN





备注: 摆板时注意标签朝外摆放
Note: When placing the board, make sure that the label is facing outward
外箱标签
所有标签信息由业务提供
Carton label
All tag information is provided by the business





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 03MAY2024 GIRIDHAR, A	TE Connectivity Ltd.		
		CHK 05MAY2024 WENKE HE			
		APVD 05MAY2024 WENKE HE	NAME DB 9P M TO F BLACK 5 FEET CABLE ASS'y		
		PRODUCT SPEC			
		APPLICATION SPEC			
		WEIGHT 0	SIZE A3	CAGE CODE 00779	DRAWING NO C-2478170
		CUSTOMER DRAWING	SCALE 1:1	SHEET 17 of 25	REV A

PACKAGE DETAILS : 2478170-6

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—


PACKING MATERIAL			
ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS
DESCRIPTION			
1. ACCORDING TO THE DRAWING FOLD THE CABLE.			
2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS			
3. ENVELOPE THE CARTON ADD PACKAGE.			
4. UNIT: mm			
			
			
Q'TY : 70 PCS			
N.W. : 12.49 KG/CTN		G.W. : 13.99 KG/CTN	





备注: 摆板时注意标签朝外摆放
Note: When placing the board, make sure that the label is facing outward

外箱标签
所有标签信息由业务提供
Carton label
All tag information is provided by the business



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A	03MAY2024	 TE Connectivity Ltd.	
		CHK WENKE HE	05MAY2024		
		APVD WENKE HE	05MAY2024	NAME DB 9P M TO F BLACK 10 FEET CABLE ASS'y	
		PRODUCT SPEC			
		APPLICATION SPEC			
		WEIGHT	0	SIZE A3	CAGE CODE 00779
		CUSTOMER DRAWING		DRAWING NO C-2478170	RESTRICTED TO —
				SCALE 1:1	SHEET 18 of 25
				REV A	

PACKAGE DETAILS : 2478170-7

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PACKING MATERIAL

ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS

DESCRIPTION



1. ACCORDING TO THE DRAWING FOLD THE CABLE.
2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS
3. ENVELOPE THE CARTON ADD PACKAGE.
4. UNIT: mm



Q'TY : 120 PCS






N.W. : 15.31 KG/CTN

G.W. : 16.81 KG/CTN



备注: 摆板时注意标签朝外摆放

Note: When placing the board, make sure that the label is facing outward



外箱标签

所有标签信息由业务提供

Carton label
All tag information is provided by the business

THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH
MATERIAL	-


DWN	GIRIDHAR, A	03MAY2024
CHK	WENKE HE	05MAY2024
APVD	WENKE HE	05MAY2024
PRODUCT SPEC	-	
APPLICATION SPEC	-	
WEIGHT	0	
CUSTOMER DRAWING		

TE Connectivity Ltd.			
NAME DB 9P M TO F BLACK 6 FEET CABLE ASS'y			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2478170	-
SCALE 1:1		SHEET 19 of 25	REV A

PACKAGE DETAILS : 2478170-8


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—


PACKING MATERIAL			
ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS
DESCRIPTION 1. ACCORDING TO THE DRAWING FOLD THE CABLE. 2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS 3. ENVELOPE THE CARTON ADD PACKAGE. 4. UNIT: mm  Q'TY : 70 PCS N.W. : 9.8 KG/CTN G.W. : 11.3 KG/CTN			




备注: 摆板时注意标签朝外摆放

Note: When placing the board, make sure that the label is facing outward









外箱标签

所有标签信息由业务提供


Carton label


All tag information is provided by the business

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A	03MAY2024	 TE Connectivity Ltd.	
		CHK WENKE HE	05MAY2024		
		APVD WENKE HE	05MAY2024	NAME DB 9P M TO F BLACK 10 FEET CABLE ASS'y	
		PRODUCT SPEC			
		APPLICATION SPEC			
		WEIGHT 0		SIZE A3	CAGE CODE 00779
		CUSTOMER DRAWING		DRAWING NO C-2478170	RESTRICTED TO —
				SCALE 1:1	SHEET 20 OF 25
				REV A	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—

PACKAGE DETAILS : 1— 2478170—1


PACKING MATERIAL			
ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		珍珠棉 L50*W165*T0.1mm	400PCS
7		TRANSPARENCE ADHESIVE TAPE W:10mm	mm
8		刀卡 L490*W220mmC二C	1PCS
9		刀卡 L320*W220mmC二C	1PCS
DESCRIPTION 1. ACCORDING TO THE DRAWING FOLD THE CABLE. 2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS 3. ENVELOPE THE CARTON ADD PACKAGE. 4. UNIT: mm 			
Q'TY : 200 PCS			
N.W. : 22 KG/CTN		G.W. : 23.5 KG/CTN	




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A	03MAY2024	 TE Connectivity Ltd.	
		CHK WENKE HE	05MAY2024		
		APVD WENKE HE	05MAY2024	NAME DB 9P M TO F BLACK 2.5 FEET CABLE ASS'y	
		PRODUCT SPEC —		—	
		APPLICATION SPEC —		—	
		WEIGHT 0	A3	CAGE CODE 00779	DRAWING NO C-2478170
CUSTOMER DRAWING		SCALE 1:1	SHEET 22 of 25	REV A	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—


PACKAGE DETAILS : 1— 2478170—2


PACKING MATERIAL			
ITEM	P/N	DESCRIPTION	Q'TY
1		CARTON L:500*W:330*H:240mm B三B	1PCS
2		PE BAG L:500*W:330*H:450*T0.025mm	1PCS
3		ZIP BAG L:290*W:110*T:0.04mm WITH BLACK MARK	1PCS
4		MINI TIE L=140mm COLOR:BLACK	1PCS
5		TRANSPARENCE ADHESIVE TAPE W:48mm	2960mm
6		刀卡 L490*W220mmC二C	1PCS
7		刀卡 L320*W220mmC二C	1PCS
DESCRIPTION 1. ACCORDING TO THE DRAWING FOLD THE CABLE. 2. BIG PE-BAG MUST PUT IN CARTON AND COVER ALL PRODUCTS 3. ENVELOPE THE CARTON ADD PACKAGE. 4. UNIT: mm  Q'TY : 120 PCS N.W. : 18.16 KG/CTN G.W. : 19.66 KG/CTN			





备注: 摆板时注意标签朝外摆放

Note: When placing the board, make sure that the label is facing outward









外箱标签

所有标签信息由业务提供

Carton label

All tag information is provided by the business

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A 03MAY2024	 TE Connectivity Ltd.		
		CHK WENKE HE 05MAY2024			
		APVD WENKE HE 05MAY2024	NAME DB 15P M TO F BLACK 5 FEET CABLE ASS'y		
		PRODUCT SPEC	—		
		APPLICATION SPEC	—		
		WEIGHT 0	SIZE A3	CAGE CODE 00779	RESTRICTED TO —
		CUSTOMER DRAWING	SCALE 1:1	SHEET 23 of 25	REV A


PACKING INSTRUCTION

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—

PACKING MATERIAL			
ITEM	P/N	DESCRIPTION	Q'TY
1	56-A105105130	1050*1050*130 全板周转用胶合板	1PCS
2	56-B093050050	大包边930*50*50 厚5MM	4PCS
3	56-B097050050	大包边970*50*50	4PCS
4	56-E050000002	小包装膜 W=500MM	KG

包装规格


纸箱尺寸: L500×W330×H240mm
6箱/层×4 层=24箱/栈板



打板时统一标签朝外摆放


Q'TY : 3360PCS


胶合栈板:
L1050*W1050*H130mm
材质: 胶合板



包边1尺寸:L930*W50*T5mm × 4
PCS
包边2尺寸:L970*W50*T5mm × 4
PCS

PE膜缠绕, 至少缠绕3层
全方位包裹产品



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GIRIDHAR, A 03MAY2024		 TE Connectivity Ltd.				
		CHK WENKE HE 05MAY2024						
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME DB 9P M TO M BLACK 6 FEET CABLE ASS'y				
		APVD WENKE HE 05MAY2024						
		PRODUCT SPEC —						
		APPLICATION SPEC —						
		WEIGHT 0						
MATERIAL —		FINISH —		SIZE A3	CAGE CODE 00779	DRAWING NO C-2478170	RESTRICTED TO —	
CUSTOMER DRAWING						SCALE 1:1	SHEET 25 of 25	REV A