


Actuator

704.341.000

Distribution by
DigiKey

DigiKey



<https://digikey.eao.com/p/704.341.000>

Your product:



704.341.000 Actuator

FRONT

Front dimension:	35 mm x 35 mm
Front bezel material:	Plastic
Front bezel colour:	Black

MOUNTING

Design:	flush
Mounting cut-out:	30 mm x 30 mm

ELECTRICAL CHARACTERISTICS

Standards:	The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1
-------------------	---

MECHANICAL CHARACTERISTIC

Mechanical lifetime:	≤50 000 cycles of operation
Switching positions:	2 positions
Switching angle:	90° right / -45° ... +45°
Switching action:	Rest (a) - Maintained
Weight:	0.099 kg

AMBIENT CONDITION

Operating temperature: - 40 °C ... + 55 °C

IP Protection: IP65 front side

Storage temperature: - 40 °C ... + 85 °C


OTHER

max. number of switching elements: 3


Short Description: Actuator, 30 mm x 30 mm, 35 mm x 35 mm, Black, Plastic, Rest (a) - Maintained

Hints: The standard lock Ronis 251, Further lock numbers on request, Max. 3 switching elements can be clipped on

Dimension drawings:



Switching positions:



Wiring diagrams:



Mounting cut-outs:

