


PCI Express X1 to X16 Low Profile Slot Extension Adapter - TAA

Product ID: PEX1TO162



This PCIe x1 to PCIe x16 Slot Extension adapter provides enhanced compatibility between motherboards and a variety of PCI Express expansion cards, allowing you to install a PCIe card (x1 - x16) in an x1 slot.

The PCI Express x1 to x16 adapter accommodates low profile x2, x4, x8, x12 or x16 PCI Express cards, eliminating the cost and hassle of upgrading a PCIe card or replacing the motherboard for the sake of compatibility.

Certifications, Reports and Compatibility



Applications

- Install a low profile video card into a system with only a x1 PCIe slot
- Install x4 or larger PCIe cards into a system with only x1 PCIe slots available
- Install a low profile PCIe card into a full profile system case
- Move cards that you will not require max bandwidth for, to keep x16 PCIe slots available for cards that you will require max bandwidth

Features

- x16 lane PCIe slot connector to x1 lane

- Designed to properly mount a low profile card into a full profile slot
- Complete pass-through designs supports the latest PCI Express speeds

Hardware

Warranty	Lifetime
Interface	PCI Express
Bus Type	PCI Express

Performance

Maximum Data Transfer Rate	2.5 Gbps
----------------------------	----------

Connector(s)

Connector Type(s)	1 - PCI Express x1
	1 - PCI Express x16 Slot

Special Notes / Requirements

Note	PCI Express x1 supports 1 lane 2.5 Gbps PCI Express transfer rate
------	---

Power

Input Voltage	12V DC
Output Voltage	12V DC

Physical Characteristics

Color	Red
Material	Steel
Product Length	5.0 in [12.7 cm]
Product Width	1.7 in [4.4 cm]
Product Height	0.3 in [0.8 cm]
Weight of Product	0.4 oz [12 g]

Packaging Information

Package Quantity	1
------------------	---

Package Length	6.7 in [17.0 cm]
Package Width	5.7 in [14.4 cm]
Package Height	1.3 in [3.2 cm]
Shipping (Package) Weight	2.8 oz [80 g]

What's in the Box

Included in Package	1 - PCIe x1 to x16 Adapter Card
	1 - Instruction Manual

****Product appearance and specifications are subject to change without notice.***