




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Receptacle**
Mating Pin Diameter: **2.36 mm [.093 in]**
Compatible Insulation Diameter (Max): **2.79 mm [.11 in]**
Compatible Insulation Diameter Range: **1.52 - 2.79 mm [.06 - .11 in]**
Wire Size: **22 - 18 AWG**

Features

Product Type Features

Terminal Features	Stud Hole
-------------------	-----------

Contact Features

PCB Terminal Type	Receptacle
Mating Pin Diameter	2.36 mm[.093 in]
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Terminal Material Thickness	.3 mm[.012 in]
-----------------------------	----------------



Compatible Insulation Diameter (Max)	2.79 mm[.11 in]
Compatible Insulation Diameter Range	1.52 - 2.79 mm[.06 - .11 in]
Wire Size	.3 - .9 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]

Packaging Features

Packaging Quantity	7000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # 2266508-1
OCEAN_2.0_Applicator-S-070F120O-RSM




TE Part # 2266508-2
OCEAN_2.0_Applicator-S-070F120OA



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 350015-1
093 PIN REC 22-18 0125PTPPHBZ



KIT
TE Part # 7-2266508-7
OCEAN_2.0_SPARE_PART_KIT-070F120O



TE Part # 7-2266508-1
OCEAN_2.0_Applicator-S-070F120O



TE Part # 7-2266508-2
OCEAN_2.0_Applicator-S-070F120OA

Customers Also Bought




TE Part # 5050865-8
SOCKET,MIN-SPR SN SER-4




TE Part # 1-770903-0
MINI UMNL PIN 22-18 AWG AU




TE Part # 2-34145-1
PG R 22-16 COMM 22-18 MIL 8




TE Part # 2-520102-1
ULTRA-FAST 250 ASSEMBLY TAB 22-18 AWG BR



TE Part # 2-521144-2
ULTRA-FAST 250 ASY TAB 22-18 TPBR




TE Part # 61137-1
.093 PCB PIN .0126 PTP PH/BZ



TE Part # 1-282856-0
10P TERMI-BLOK PCB MOUNT



TE Part # 41346
RING TERMINAL 18-14 AWG NPSTL



TE Part # 1571485-1
SWITCH,PUSHBUTTON,SPECIAL

Documents



Product Drawings

RECPT .093 DIA 22-18 PTPPHBRZ

English

CAD Files

Customer View Model

ENG_CVM_61291-1_L.3d_igs.zip

English

Customer View Model

ENG_CVM_61291-1_L.3d_stp.zip

English

Customer View Model

ENG_CVM_61291-1_L.2d_dxf.zip

English

3D PDF

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_61291-1_P.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_61291-1_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_61291-1_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

Application Specification

English