




TE Internal #: 926933-3

Crimp Wire Pins, Tabs & Ferrules, Pin, Mating Pin Diameter 1.6 mm  
[.063 in], 18 - 17 AWG Wire Size, .82 - 1 mm² Wire Size, 1624 - 2048  
CMA Wire Size

[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: Pin

Mating Pin Diameter: 1.6 mm [.063 in]

Wire Size: 1624 - 2048 CMA

Features

Product Type Features

|                                    |          |
|------------------------------------|----------|
| Compatible With Discrete Wire Type | Stranded |
|------------------------------------|----------|

Configuration Features

|                                   |               |
|-----------------------------------|---------------|
| Compatible With Wire & Cable Type | Discrete Wire |
|-----------------------------------|---------------|

Contact Features

|                           |                 |
|---------------------------|-----------------|
| Crimp Wire Terminal Type  | Pin             |
| Mating Pin Diameter       | 1.6 mm[.063 in] |
| Barrel Type               | Open            |
| Terminal Plating Material | Pre-Tin         |
| Terminal Orientation      | Straight        |

Mechanical Attachment

|                         |         |
|-------------------------|---------|
| Wire Insulation Support | Without |
|-------------------------|---------|

Dimensions

|                             |                 |
|-----------------------------|-----------------|
| Wire Size                   | 1624 - 2048 CMA |
| Barrel Inside Diameter      | .4 mm[.016 in]  |
| Terminal Material Thickness | .25 mm[.01 in]  |
| Overall Product Length      | 6 mm[.24 in]    |



Usage Conditions

|                   |             |
|-------------------|-------------|
| Insulation Option | Uninsulated |
|-------------------|-------------|

Packaging Features

|                    |       |
|--------------------|-------|
| Packaging Quantity | 30000 |
| Packaging Method   | Reel  |

Product Compliance

For compliance documentation, visit the product page on TE.com>


|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # 2150150-1  
[OCEAN\\_2.0\\_Applicator-E-062O062O](#)



TE Part # 2150150-2  
[OCEAN\\_2.0\\_Applicator-E-062O062O](#)



KIT  
TE Part # 7-2150150-7  
[OCEAN\\_2.0\\_SPARE\\_PART\\_KIT-062O062O](#)


Customers Also Bought



TE Part # 3-1879378-3  
[TLR 2512 1.0W R004 1% 100PPM 2K RL](#)




TE Part # 1825057-5  
[ADE0604=DIP SWITCH,EXT,THRU/HL](#)



TE Part # 350536-6  
[UMNL SOK 20-14 .0125AUNI/PHBZ](#)




TE Part # 60290-2  
[250 FASTON FLAG REC 18-14 AWG TPBR](#)



TE Part # 1355556-1  
[MQS1,5 Sn rec LL unseal. 0,35-0,5](#)




TE Part # 590428-000  
[BPTM-15/6-A/U-4\(S30\)](#)



TE Part # 521289-1  
[FF 250 TAB HSG 1P NYLON NAT](#)



TE Part # 5-160432-4  
[250 FASTON REC 20-16 AWG TPBR](#)



TE Part # 1-480306-1  
[250 FASTON INSULATION POD.,REC., NATRUAL](#)

Documents

Product Drawings

[WIRE PIN 18-17 AWG .01 PTPB](#)

English

CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_926933-3\\_D.2d\\_dxf.zip](#)



English

Customer View Model

[ENG\\_CVM\\_CVM\\_926933-3\\_D.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_926933-3\\_D.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.