



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Coverpart Kit**

Primary Product Color: **Black**

Operating Temperature (Max): **85 °C [185 °F]**

Operating Temperature Range: **-20 - 85 °C [-4 - 185 °F]**

Features

Product Type Features

Sealable	No
Connector Cover Type	Strain Relief Coverpart Kit

Body Features

Primary Product Color	Black
-----------------------	-------

Housing Features

Compatible With Connector Shape	Rectangular
---------------------------------	-------------

Usage Conditions

Compatible With Connector Style	Plug
Operating Temperature (Max)	85 °C[185 °F]
Operating Temperature Range	-20 - 85 °C[-4 - 185 °F]

Packaging Features

Packaging Quantity	500
Packaging Method	Box & Carton

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240)



Candidate List Declared Against: JAN 2024
(240)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 794617-4
4POS,MICRO MNL,RCPT HSG

Customers Also Bought



TE Part # 3-794618-4
04P MICRO MNL ASSY R/A HDR LF



TE Part # 3-1825910-1
FSM16JH=6MM TACT SWITCH, HIGH TEMP




TE Part # 794610-1
MICRO MNL RPT CNT,LS PC,TIN




TE Part # 323168
TERMINAL,SOLIS R HR 8 3/8







TE Part # 794616-4
FREE HANG DBL ROW HSG 4 POS




TE Part # 1-794612-0
PIN CONT 20-24 TIN PLATE L/P




TE Part # 1-794612-1
PIN CONT 20-24 15 GOLD L/P



TE Part # 4-2176339-4
CRGCQ 0603 39K 1%



TE Part # 806706-000
202D163-25-0



TE Part # 293726-1
4 pos. coverpart "A" for P/N 794617-4

Documents

Product Drawings

4 pos. coverpart (kit) for P/N 794617-4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_293734-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_293734-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_293734-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English