



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**
Mating Tab Width: **6.35 mm [.25 in]**
Mating Tab Thickness: **.81 mm [.032 in]**
PCB Hole Diameter: **4.34 mm [.171 in]**
Termination Method to Printed Circuit Board: **Through Hole - Screw**

Features

Product Type Features

Terminal Features	Stud Hole
Insertion Force	Low

Contact Features

PCB Contact Termination Area Plating Material Thickness	1.01 μm[40 μin]
Contact Mating Area Plating Material Thickness	1.01 μm[40 μin]
PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	6.35
Terminal Orientation	Right Angle

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Screw
---	----------------------



Product Terminates To

Printed Circuit Board

Dimensions

Terminal Material Thickness	.78 mm[.031 in]
Stud Diameter	4.34 mm[.171 in]
PCB Hole Diameter	4.34 mm[.171 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-30 - 110 °C[-22 - 230 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # 60465-2 250 FASTON TAB TPBR	 TE Part # 42802-1 250 FASTON TAB TPBR	 TE Part # 41480 250 FASTON TAB TPBR	 TE Part # 42822-4 250 FASTON TAB TPBR
 TE Part # 42822-2 250 FASTON TAB TPBR	 TE Part # 1217558-2 250 FASTON,TAB,TPBR	 TE Part # 170001-3 187 FASTON,TAB,TPBR	 TE Part # 170001-2 187 FASTON,TAB,TPBR
 TE Part # 41617 250 FASTON TAB BR	 TE Part # 42214-1 250 FASTON TAB BR	 TE Part # 42095-1 250 FASTON TAB TPBR	 TE Part # 41619 250 FASTON TAB BR
 TE Part # 41616 250 FASTON TAB BR	 TE Part # 140732-2 250 FASTON,TAB,TPBR		

Also in the Series | FASTON 250

 Compression Connectors(4)	 Crimp Terminal Housings(133)	 Insertion & Extraction Tools(6)	 Magnet Wire Terminals(1)
-------------------------------	----------------------------------	-------------------------------------	------------------------------



PCB Terminals(134)



Quick Disconnects(441)



Splices(4)


Customers Also Bought



TE Part # 1-917542-3
Header Assembly: Wire-to-Board, 20-45A, 250-630V



TE Part # 1-179958-2
DYNAMIC D-5200S REC HSG 2P K/X



TE Part # 170187-2
250 FASTON,REC.,22-18 AWG,TPBR




TE Part # 770276-1
03P .093 COMM P&S PLUG .250CL




TE Part # 350706-7
UMNL SPLIT PIN 24-18 AUBR L/P



TE Part # 170203-2
187 FASTON,REC.,24-20 AWG,TPBR



TE Part # 520987-2
250 FASTON HSG. REC 4P NATURAL



TE Part # 1-104480-5
SHORT POINT RCP CONT LP



TE Part # 1-170823-3
187 FASTON SLEEVE,REC., TRANSPARENT,NAT

Documents

Product Drawings

250 FASTON TAB TPBR

English

CAD Files

Customer View Model

ENG_CVM_CVM_42214-2_AA.2d_dxf.zip

English

3D PDF



3D

Customer View Model

[ENG_CVM_CVM_42214-2_AA.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_42214-2_AA.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTON Tabs](#)

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[CSA Certificate](#)

English

[CSA Certificate](#)

English