



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Receptacle**

Mating Pin Diameter: **1.47 mm [.058 in]**

Compatible Insulation Diameter (Max): **1.65 mm [.065 in]**

Compatible Insulation Diameter Range: **.89 - 1.65 mm [.035 - .065 in]**

Wire Size: **26 - 22 AWG**

Features

Product Type Features

Terminal Features	Stud Hole
Wire Insulation Support Retention Type	Open Barrel

Contact Features

PCB Terminal Type	Receptacle
Mating Pin Diameter	1.47 mm[.058 in]
Terminal Plating Material	Pre-Tin
Terminal Orientation	Flag

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Terminal Material Thickness	.25 mm[.01 in]
-----------------------------	----------------



Compatible Insulation Diameter (Max)	1.65 mm[.065 in]
Compatible Insulation Diameter Range	.89 - 1.65 mm[.035 - .065 in]
Wire Size	.12 - .4 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



 TE Part # 60888-1 058 PIN REC 26-22 .010TPPHBZ	 TE Part # 60888-2 058 PIN REC 26-22 .010GPPHBZ	 TE Part # 60983-2 .058 PIN REC PTPPHBZ	 TE Part # 61513-1 058 PC PIN REC 26-22 010GP
 TE Part # 60983-1 .058 DIA PIN REC .010GPPHBZ	 TE Part # 61276-2 .058 DIA RECPT LP 24-20	 TE Part # 61513-2 058 PC PIN REC 010TPPHBZ	 TE Part # 60804-1 .058 DIA RECPT AU/NI/PHBZ
 TE Part # 350189-2 .058 DIA RECPT PC R/A LP 26-22			

Customers Also Bought

 TE Part # 1969694-5 PTL 1X5 PCB HEADER R/A STDTEMP KEY A NAT	 TE Part # NB15964001 RT-375-1/4-X-SP	 TE Part # 926472-3 1P UNIV MNL BU GEH	 TE Part # 5-103976-1 10X2 MTE RCPT SR PLAIN .100CL
 TE Part # NB12042001 ATUM-9/3-0-STK	 TE Part # 50334 TERMINAL,SOLIS R 26-22 2	 TE Part # 926471-3 1P UNIV MNL ST GEH	 TE Part # 6756750001 TMS-SCE-3/32-2.0-S3-9



Documents

Product Drawings

.058 DIA RECPT PC R/A LP 26-22

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_350189-1_D_c-350189-1-d.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_350189-1_D_c-350189-1-d.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_350189-1_D_c-350189-1-d.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

Japanese

Instruction Sheet (U.S.)

English

Insertion/Extraction Tool

English