


PLASTI-GRIP

TE Internal #: 1-1377173-0 Closed Ring Tongue Terminal, 12 - 10 AWG, M5 Stud Size, 5.21 mm [.205 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 5180 - 13100 CMA

Stud Size: M5

Features

Product Type Features

Ring Terminal Product Type

Closed Ring Tongue Terminal

Stud Size	M5
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Body Features	
Product Weight	.395 g[.0139 oz]
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	5180 - 13100 CMA
Stud Diameter	5.21 mm[.205 in]
Tongue Thickness	.79 mm[.031 in]

C For support call +1 800 522 6752

1-1377173-0

Closed Ring Tongue Terminal, 12 - 10 AWG, M5 Stud Size, 5.21 mm [.205 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP



Product Length	27.76 mm[1.093 in]
Compatible Insulation Diameter (Max)	6.35 mm[.25 in]
Compatible Insulation Diameter Range	3.81 - 6.35 mm[.1525 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	50
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

1-1377173-0

Closed Ring Tongue Terminal, 12 - 10 AWG, M5 Stud Size, 5.21 mm [.205 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | PLASTI-GRIP






Customers Also Bought



1-1377173-0

Closed Ring Tongue Terminal, 12 - 10 AWG, M5 Stud Size, 5.21 mm [.205 in] Stud Diameter, Closed Barrel, Straight, Tin, PLASTI-GRIP





Documents

Product Drawings SMP 0-0160292-0

English

Datasheets & Catalog Pages RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES

English

Product Specifications **Application Specification** English