936126-1 - ACTIVE


MQS

TE Internal #: 936126-1 Housing for Male Terminals, Wire-to-Wire, 14 Position, .1 in [2.54 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > MQS, CONNECTOR HOUSING



Connector System: Wire-to-Wire

Number of Positions: 14

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 2.54 mm [.1 in]

Sealable: No

All MQS, CONNECTOR HOUSING (435)

Features

Product Type Features

Mixed & Hybrid Connector

No

Connector Shape

Rectangular

Connector System	Wire-to-Wire	
Connector & Housing Type	Housing for Male Terminals	
Sealable	No	
Connector & Contact Terminates To	Wire & Cable	
Primary Locking Feature	Integrated in Housing	
Configuration Features		
Number of Positions	14	
Number of Rows	2	
Body Features		
Cable Exit Angle	180°	
Primary Product Color	Black	
Contact Features		
Contact Size	.63mm	
Contact Type	Tab	
Mating Tab Width	.63 mm[.025 in]	

C For support call +1 800 522 6752

Housing for Male Terminals, Wire-to-Wire, 14 Position, .1 in [2.54 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS



Mechanical Attachment

Terminal Position Assurance	No	
Strain Relief	Without	
Mating Alignment Type	Keyed	
Mating Alignment	With	
Connector Mounting Type	Cable Mount (Free-Hanging)	
Housing Features		
Housing Material	PBT GF	
Centerline (Pitch)	2.54 mm[.1 in]	
Dimensions		
Connector Height	16.5 mm[.649 in]	
Product Width	29 mm[1.14 in]	
Product Length	22.6 mm[.889 in]	
Row-to-Row Spacing	3.4 mm[.133 in]	
Operation/Application		
Circuit Application	Signal	

Packaging Features

Packaging Quantity	200	
Packaging Method	Tray	
Other		
Serviceable	No	
Connector Position Assurance Capable	No	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC	

Housing for Male Terminals, Wire-to-Wire, 14 Position, .1 in [2.54 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series | MQS

	the second		
Automotive Connector Caps & Covers (113)	Automotive Connector EMC Shielding (3)	Automotive Connector Locks & Position Assurance(26)	Automotive Housings(379)
And a			
Automotive Terminals(88)	Connector Seals & Cavity Plugs(26)	Insertion & Extraction Tools(42)	Other Automotive Connector Accessories(7)

Housing for Male Terminals, Wire-to-Wire, 14 Position, .1 in [2.54 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS





Customers Also Bought



Documents

Product Drawings

14POS MQS TAB

English

CAD Files **Customer View Model** ENG_CVM_CVM_936126-1_A.2d_dxf.zip English **Customer View Model** ENG_CVM_CVM_936126-1_A.3d_igs.zip English **Customer View Model** ENG_CVM_CVM_936126-1_A.3d_stp.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

C For support call +1 800 522 6752

Housing for Male Terminals, Wire-to-Wire, 14 Position, .1 in [2.54 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount (Free-Hanging), MQS



Datasheets & Catalog Pages Micro Quadlok Interconnection System (MQS)

English

Product Specifications Product Specification

English