



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Latching, Locking & Retention**

Connector Hardware Accessory Type: **Spirol Pin**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **150 °C [302 °F]**

Operating Temperature Range: **-55 - 150 °C [-67 - 302 °F]**

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention
Connector Hardware Accessory Type	Spirol Pin

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Usage Conditions

Operating Temperature (Max)	150 °C[302 °F]
Operating Temperature Range	-55 - 150 °C[-67 - 302 °F]

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 201388-1
[JACKSCREW-MALE-SPEC.](#)

Also in the Series | NECTOR M Series


 Connector Hardware(6)	 Plug & Socket Lighting Connector Accessories(1)	 Rectangular Power Connectors(2)	 Standard Circular Connectors(124)
--	---	--	--

Customers Also Bought





TE Part # 201310-3
MALE BLOCK 75 PL.-MIN. RECT.




TE Part # 201311-1
FEMALE BLOCK MIN. RECT.



TE Part # 3-1617029-3
HFW1131K04M = M39016/6-107M



TE Part # 3-1617118-1
J1MACDD-26XM = M39016/24-030M



TE Part # 201358-1
MALE BLOCK 50 PL. SER. "M"



TE Part # 201388-1
JACKSCREW-MALE-SPEC.



TE Part # 1-200835-1
SERIES "M" MIN. RECT. GUIDE SOC



TE Part # 201501-1
SPIROL PIN



TE Part # 4-1617004-0
B07D932BC2-0348 = M5757/23-031

Documents

Product Drawings

SPIROL PIN

English

CAD Files

Customer View Model

ENG_CVM_201501-2_H.3d_igs.zip

English

Customer View Model

ENG_CVM_201501-2_H.3d_stp.zip

English

Customer View Model

ENG_CVM_201501-2_H.2d_dxf.zip

English

3D PDF

English

Customer View Model

ENG_CVM_CVM_201501-2_R.3d_igs.zip

English



Customer View Model

[ENG_CVM_CVM_201501-2_R.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_201501-2_R.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[M_SERIES_PIN_AND_SOCKET_CONNECTORS](#)

English