

165085-1 ✓ ACTIVE




PLASTI-GRIP

TE Internal #: 165085-1

Crimp Wire Pins, Tabs & Ferrules, Wire Pin, 12 - 10 AWG Wire Size, 2.62 - 6.64 mm² Wire Size, 5180 - 13100 CMA Wire Size, Closed, PLASTI-GRIP

[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Wire Pin**

Compatible Insulation Diameter Range: **3.81 - 6.35 mm, 6.4 mm [.15 - .25 in, .251 in]**

Wire Size: **5180 - 13100 CMA**

Features

Product Type Features

Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Sleeve Material	PVC
Insulation Material	PVC
Primary Product Color	Yellow

Contact Features

Contact Mating Area Length	9.9 mm[.39 in]
Contact Fabrication	Stamped & Formed
Crimp Wire Terminal Type	Wire Pin
Barrel Type	Closed
Terminal Plating Material	Tin



Contact Shape & Form	Round
----------------------	-------

Terminal Orientation	Straight
----------------------	----------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	3.81 - 6.35 mm, 6.4 mm [.15 - .25 in] [.251 in]
--------------------------------------	---

Wire Size	5180 - 13100 CMA
-----------	------------------

Terminal Material Thickness	.99 mm [.039 in]
-----------------------------	------------------

Overall Product Length	29.4 mm [1.158 in]
------------------------	--------------------

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Operating Temperature Range	0 - 105 °C [0 - 221 °F]
-----------------------------	-------------------------

Packaging Features

Packaging Quantity	500
--------------------	-----

Packaging Method	Loose Piece
------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
--	---

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
-----------------	--

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | **PLASTI-GRIP**




Compression Connectors(3)



Crimp Wire Pins, Tabs & Ferrules(22)



Ring Terminals(324)



Spade Terminals(178)




Splices(47)

Customers Also Bought



TE Part # 321035
PIDG 26-22 SPADE #4 STUD



TE Part # 324543
TAB,PIDG 12-10



TE Part # 2-2291727-1
D3200M FMLB REC HSG 4P SSKEY



TE Part # T4061310004-005
M8 CABLE ST FEMALE 5M 4POS PVC CABLE



TE Part # 131445
PG, WIRE TAB, 12-10



TE Part # 165171
P.G. WIRE PIN 16-14



TE Part # 9-2176388-7
RQ 1206 100R 0.1% 10PPM 5K RL



TE Part # 2176389-2
RQ 1206 110R 0.1% 10PPM 5K RL



TE Part # 2298107-3
DYNAMIC D-3 FMLB REC CONT AU0. 38 L SIZE

Documents



Product Drawings

PG WIRE PIN YELLOW

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_165085-1_M.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_165085-1_M.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_165085-1_M.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PLASTI GRIP_QRG

English

RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES

English

Product Specifications

Application Specification

English