

Dynamic Series | Dynamic Series Thermocouple Connector

TE Internal #: 2295205-1

Shield & Strain Relief, Stainless Steel, Dynamic Series

Thermocouple Connector

View on TE.com >



Connectors > Connector Accessories > Connector Caps & Covers











Connector Cover Type: Shield & Strain Relief

Primary Product Material: Stainless Steel

Operating Temperature (Max): 220 °C [428 °F]

Operating Temperature Range: -20 - 220 °C [-4 - 428 °F]

Features

Product Type Features

Connector Cover Type	Shield & Strain Relief
Body Features	
Primary Product Material	Stainless Steel
Mechanical Attachment	
Strain Relief	With
Usage Conditions	
Operating Temperature (Max)	220 °C[428 °F]
Operating Temperature Range	-20 - 220 °C[-4 - 428 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
FLI DE A CLI Dogulation (FC) No. 1007/2004	



Current ECHA Candidate List: JAN 2024

(240)

Candidate List Declared Against: JAN 2024

(240)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Dynamic Series Thermocouple Connector









Insertion & Extraction Tools(1)



Wire-to-Board Connector Assemblies & Housings(3)

Customers Also Bought





TE Part # 1-179553-4

DYNAMIC D-3200S TAB HSG 4P K/X



TE Part # 179955-2 DYNAMIC D-5 REC CONT. S FORM.



TE Part # 170204-4 170262-4 LP E1CRIMP SNAP IN













Documents

Product Drawings

THERMOCOUPLE CONNECTOR.STRAIN RELIEF.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2295205-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2295205-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2295205-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages



1-1773895-2_THERMOCOUPLE_FLYER

English

Product Specifications

Product Specification

Japanese