846290-6 - ACTIVE

# LGH | LGH SGL TE Internal #: 846290-6 Circular Power Connectors, Lead Assembly, 50000 VDC, 16 AWG Wire Size, Wire-to-Wire, 1 Position, Wire & Cable, Socket, LGH SGL View on TE.com >



Connectors > Power Connectors > Circular Power > Circular Power Connectors



Connector Product Type: Lead Assembly Operating Voltage: 50000 VDC Wire Size: 16 AWG

Connector System: Wire-to-Wire

Number of Positions: 1

## Features

## **Product Type Features**

Connector Product Type	Lead Assembly
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

### **Configuration Features**

Number of Positions	1		
Electrical Characteristics			
Operating Voltage	50000 VDC		
Body Features			
Positive Stop Ferrule	Without		
Contact Features			
Contact Type	Socket		
Contact Protection	Without		
Termination Features			
Termination Method to Wire & Cable	Pre-Terminated to Cable		
Mechanical Attachment			
Mating Alignment	With		
Dimensions			

### 846290-6

Circular Power Connectors, Lead Assembly, 50000 VDC, 16 AWG Wire Size, Wire-to-Wire, 1 Position, Wire & Cable, Socket, LGH SGL



Wire Size	16 AWG		
Assembly Length	914.4 mm[36 in]		
Usage Conditions			
Operating Temperature Range	-55 - 125 °C[-67 - 257 °F]		
Operation/Application			
Shielded	No		
Packaging Features			
Packaging Quantity	1		
Packaging Method	Package		
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>			
EU RoHS Directive 2011/65/EU	Compliant with Exemptions		
EU ELV Directive 2000/53/EC	Compliant with Exemptions		
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024		

### Halogen Content

Solder Process Capability

#### (240)

SVHC > Threshold:

### Pb (4% in Contact/Component)

#### Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# Also in the Series | LGH SGL

**S** For support call +1 800 522 6752


### 846290-6

Circular Power Connectors, Lead Assembly, 50000 VDC, 16 AWG Wire Size, Wire-to-Wire, 1 Position, Wire & Cable, Socket, LGH SGL





# **Customers Also Bought**



RP 2A 0.25W 2K74 0.1% 25PPM 1K RL	LGH 4 FLG RECEPT MKD	44A0111-16-4	PLUG,SMA,W/O HOLES,W/CTR CONT

# Documents

Product Drawings LGH-4 SGL MOLDED END LEAD

English

# CAD Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_846290-6\_AA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_846290-6\_AA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_846290-6\_AA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

### 846290-6

Circular Power Connectors, Lead Assembly, 50000 VDC, 16 AWG Wire Size, Wire-to-Wire, 1 Position, Wire & Cable, Socket, LGH SGL



Product Specifications
Product Specification

English