

726345-1 ✓ ACTIVE

SOLISTRAND


TE Internal #: 726345-1

Closed Ring Tongue Terminal, 4 AWG, M6 Stud Size, 6.5 mm [.256 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated

[View on TE.com >](#)



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **21 mm²**

Stud Size: **M6**

Stud Diameter: **6.5 mm [.256 in]**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M6
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	6.75 g
----------------	--------

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	21 mm ²
Stud Diameter	6.5 mm [.256 in]
Tongue Thickness	.79 mm [.031 in]
Product Length	25 mm [.984 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	170 °C [338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	300
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 726345
SOL RING TONGUE

Customers Also Bought



TE Part # 1-1469491-3
MULTIGIG RT GUIDE PIN, 9MM 4.20



TE Part # 2-320665-1
PG SPD 22-16 COMM 22-18 MIL 6



TE Part # 726345-2
SO-RINGZUNGE D46234



TE Part # YDTS20F11-35PAV001
RECP ASSY



TE Part # 1410946-3
MULTI-GIG SOC. CAP SCREW,
CUSTOMIZED HDW



TE Part # 796275-000
CWT-13



TE Part # 1410946-2
MULTI-GIG SOC. CAP SCREW,
CUSTOMIZED HDW



TE Part # K1122327
Relay 29-021-02



TE Part # 1337775-4
75 OHM COAX BNC STR PLUG P99-E



TE Part # 601966-4
K-41 POSITIONER

Documents

Product Drawings

726345-1

Closed Ring Tongue Terminal, 4 AWG, M6 Stud Size, 6.5 mm [.256 in] Stud Diameter,
Closed Barrel, Straight, Tin, Uninsulated



SO RINGZUNGE D46234

English