953043-1 ✔ ACTIVE



Positive Lock | Positive Lock 250

TE Internal #: 953043-1

Crimp Terminal Housings, Receptacle, Receptacle, 3 Position, Straight, Black, Polyamide, Contact Mating Retention, Mating Alignment, Positive Lock 250

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings




Terminal Type: **Receptacle**

Connector & Housing Type: **Receptacle**

Number of Positions: **3**

Terminal Orientation: **Straight**

Primary Product Color: **Black**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	3

Body Features

Primary Product Color	Black

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	With

Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	Polyamide
Centerline (Pitch)	5 mm[.196 in]

Usage Conditions

Operating Temperature Range	-40 - 100 °C[-40 - 212 °F]

Packaging Features

Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 281852-2
PL 250 REC HSG 4P NYLON BLACK



TE Part # 142680-1
PL MK III 2 POS HOUSING BROEN RAL 8016



TE Part # 142681
HOUSING POS-LOCK MK III 3 P BLACK



TE Part # 281734-2
POSITIVE LOCK 312 HOUSING RECEPTACLE



TE Part # 142680-9
PL 187 REC HSG 2P NYLON WHITE




TE Part # 1-926522-1
PL 250 REC HSG 2P NYLON BLACK




TE Part # 142680
POSITIVE LOCK (PL) HOUSING



TE Part # 142680-4
PL MK III 2 POS HOUSING YELLOW RAL 1016



TE Part # 142681-1
PL MK III 3 POS HOUSING BROEN



TE Part # 142681-4
PL MK III 3 POS HOUSING YELLOW

Also in the Series | Positive Lock 250



Automotive Terminals(1)




Crimp Terminal Housings(191)



Insertion & Extraction Tools(3)



Insulation Boots & Sleeves(4)



Quick Disconnects(186)

Customers Also Bought



TE Part # 1-1718644-1
3POS, MCON 1.2 LL REC SEALED




TE Part # 1379324-1
Timer Connector Housing



TE Part # 1-1544408-3
CAP. POLYAMID 6.3



TE Part # 1379326-1
COVER FOR 52W HYB CONNECT



TE Part # 1544662-2
PC 2V NG1 BLEU



TE Part # 1801735-1
18W HYBRID UNSEALED RCPT HSG ASSY BLACK



TE Part # 1801735-3
18W HYBRID UNSEALED RCPT HSG ASSY BLUE



TE Part # 1801735-4
18W HYBRID UNSEALED RCPT HSG ASSY BROWN



TE Part # 3-2236343-5
3POS, MCON 1.2 LL REC SEALED

Documents

Product Drawings

PL LOCKING LEVER 3P HOUSING PA6.6 NOIR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_953043-1_F_c-953043-1-f.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_953043-1_F_c-953043-1-f.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_953043-1_F_c-953043-1-f.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditionsof use.

Product Specifications

POSITIVE LOCK 3 VOIES MARK III A LEVIER DE VERROUILLAGE REF. 953043-1

English

Product Specification

English

Instruction Sheets

PRECONISATION DE CONTROLE DES CONNECTEURS POS. LOCK MARK III

English

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

English