



Quality Products. Service Excellence.

## High-Density Vertical Finger Manager with Slam-Latching Door **VFM**

### Series


For use with Open Frame Racks



### Features

- Sturdy, reversible steel slam-latch door/cover with pinch-trigger handle included.
- Available in 6", 8", 10" or 12" widths.
- All versions are 24.5" in depth for maximum fill rates.
- The VFM is unique that it features a metal finger spaced at 2RU with clip-on plastic finger guards (shipped loose) for a cable 1.25" bend radius.
- Provides support for high-density cable bundles and heavy gauge cables.
- Each manager comes with two openings for cable pass-thru.
- Includes cable mounting lances for hook and loop cable organization.
- Compatible with **DNRRHDW**, **DC4R**, **DRZ4**, **RB-2P** and **RB-2PA** Series of open frame racks. See the compatibility chart below.
  - Use the optional riser base **VFMB2BK** and **VFMB3BK** for easier installation and manager support.
  - We strongly recommend you use our **rack bolt-down kit** when mounting large cable managers.
  - Hardware included for securing to rack.
- Optional inner and side panel, spool, and cable divider accessories are available.
- Finished in a textured black powder paint finish.
- TAA-compliant for GSA Schedule purchases.
- RoHS and REACH compliant.
- Manufactured in North America.

### Gallery





### Accessories

- Cable Spool
- Cable Channel Divider
- Vertical Manager Rack Spacer Bracket



**Double-Sided (Steel Fingers with Plastic Radius)**

| Part No.<br>Black | Part No.<br>White | Overall Dimensions (Inches) |       |       | Mounting Dimensions |            | Door<br>Included |
|-------------------|-------------------|-----------------------------|-------|-------|---------------------|------------|------------------|
|                   |                   | Height                      | Width | Depth | Units               | Rack Units |                  |
| VFMMD6BK          | VFMMD6WH          | 81.00                       | 6.00  | 24.50 | 77.00               | 44         | Yes              |
| VFMMD8BK          | VFMMD8WH          | 81.00                       | 8.00  | 24.50 | 77.00               | 44         | Yes              |
| VFMMD10BK         | VFMMD10WH         | 81.00                       | 10.00 | 24.50 | 77.00               | 44         | Yes              |
| VFMMD12BK         | VFMMD12WH         | 81.00                       | 12.00 | 24.50 | 77.00               | 44         | Yes              |

VFM Specific Accessories

| Description            | 6.00<br>Part No. |          | 8.00<br>Part No. |          | 10.00<br>Part No. |           | 12.00<br>Part No. |           |
|------------------------|------------------|----------|------------------|----------|-------------------|-----------|-------------------|-----------|
|                        | Black            | White    | Black            | White    | Black             | White     | Black             | White     |
| Accessory Inner Panel  | VFMAP6BK         | VFMAP6WH | VFMAP8BK         | VFMAP8WH | VFMAP10BK         | VFMAP10WH | VFMAP12BK         | VFMAP12WH |
| Solid Inner Panel      | VFMFP6BK         | VFMFP6WH | VFMFP8BK         | VFMFP8WH | VFMFP10BK         | VFMFP10WH | VFMFP12BK         | VFMFP12WH |
| Manager End/Side Panel | VFMSPBK          | VFMSPWH  | VFMSPBK          | VFMSPWH  | VFMSPBK           | VFMSPWH   | VFMSPBK           | VFMSPWH   |

Estimated Cable Fill Capacities

| Part No.  | Description        | Recommended Cable Fill (50% Fill Ratio) |                  | Maximum Cable Fill (100% Fill Ratio) |                  |
|-----------|--------------------|-----------------------------------------|------------------|--------------------------------------|------------------|
|           |                    | Cat 6 (0.25" Ø)                         | Cat 6a (0.30" Ø) | Cat 6 (0.25" Ø)                      | Cat 6a (0.30" Ø) |
| VFMMD6BK  | Channel Opening    | 430                                     | 298              | 860                                  | 598              |
|           | Per Finger Opening | 28                                      | 19               | 55                                   | 38               |
|           | Rear Pass Through  | 774                                     | 538              | 1548                                 | 1067             |
| VFMMD8BK  | Channel Opening    | 648                                     | 450              | 1296                                 | 900              |
|           | Per Finger Opening | 28                                      | 19               | 55                                   | 38               |
|           | Rear Pass Through  | 1152                                    | 800              | 2302                                 | 1598             |
| VFMMD10BK | Channel Opening    | 864                                     | 600              | 1728                                 | 1200             |
|           | Per Finger Opening | 28                                      | 19               | 55                                   | 38               |
|           | Rear Pass Through  | 1526                                    | 1060             | 3054                                 | 2120             |
| VFMMD12BK | Channel Opening    | 1080                                    | 750              | 2162                                 | 1502             |
|           | Per Finger Opening | 28                                      | 19               | 55                                   | 38               |
|           | Rear Pass Through  | 1904                                    | 1322             | 3808                                 | 2644             |

The channel opening includes both front and rear channels. The rear opening qty is without accessory inner panels installed.

Cable Manager > Hammond Rack Compatability

| Part No.                    | RB-2P   | RB-2PA19     | RB-2PA23     | DNRR (19") | DNRR (23")   | DC4R44* |         | DRZ4*  |
|-----------------------------|---------|--------------|--------------|------------|--------------|---------|---------|--------|
| All Sizes of VFM Compatible | RB-2P77 | RB-2PA1945BK | RB-2PA2345BK | DNRR77HDW  | DNRR2377HDWB | DC4R44  | DC4RT44 | DRZ477 |

\* All options at this height are compatible.

Tags: **double-sided manager, double sided**

Data subject to change without notice