1811633-1 ✔ ACTIVE


AMP

TE Internal #: 1811633-1

Sealing Plug, Silicone Rubber, Blue, -65 - 125 °C [-85 - 257 °F]
Operating Temperature

View on TE.com >

Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Sealing Plug**

Primary Product Material: **Silicone Rubber**

Primary Product Color: **Blue**

Operating Temperature (Max): **125 °C [257 °F]**

Operating Temperature Range: **-65 - 125 °C [-85 - 257 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Sealing Plug

Body Features

Primary Product Material	Silicone Rubber
Primary Product Color	Blue

Contact Features

Compatible With Contact Size	8

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-65 - 125 °C[-85 - 257 °F]

Packaging Features

Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240)

	Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Customers Also Bought



TE Part # D369-P66-NP0
369 6 WAY PLUG, NO CONTACTS, PIN



TE Part # 865421-000
D-602-0150




TE Part # 208262-3
5009-328-0022



TE Part # D369-R99-NP0
369 9 WAY REC, NO CONTACTS, PIN



TE Part # DT04-4P-CE01
REC, 4P, GRY, E, CAP




TE Part # ZPF000000000017893
FAST-E 07 F-X-B 00 A



TE Part # 1662-202-1631
CONTACT



TE Part # ZPF000000000003651
724-8022-16



TE Part # ZPF000000000017894
FAST-E 07 M-X-A 00 A

TE Part # ZPF000000000011599
BJE 88

Documents

Product Drawings

SEAL PLUG

English

CAD Files

Customer View Model

ENG_CVM_1811633-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_1811633-1_B.3d_stp.zip

English

Customer View Model

ENG_CVM_1811633-1_B.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditionsof use.

Datasheets & Catalog Pages

Quadrax Contacts, Connectors and Cables Brochure

English

Product Specifications

Application Specification

English