



Part Number : 191190007

Series Number : 19119

Product Category : Ring and Spade Terminals

Product Description : InsulKrimp Long Barrel Flanged Spade Terminal for 14-22 AWG Wire, Stud Size 8 (M4), Length 21.23mm

Status : Active

Engineering Number : A-215-08X

Documents & Resources

Drawings
Drawing 191190007_sd.pdf

3D Models and Design Files
3D Model 191190007_stp.zip

Specifications
Product Specification PS-19902-009-001.pdf
Product Specification PS-19902-011-001.pdf
Product Specification PS-19902-013-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2022)9120-DC (17 Jan 2023)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Ring and Spade Terminals
Series	19119
Description	InsulKrimp Long Barrel Flanged Spade Terminal for 14-22 AWG Wire, Stud Size 8 (M4), Length 21.23mm
Keyword	Spade Terminal, Spade Terminals
Product Family	Solderless Terminals
Product Name	InsulKrimp
Type	Spade
UPC	800753094123

Agency

UL	E32244
----	--------

Physical

Barrel Type	Open
Color - Resin	Red
Flammability	94V-0
Insulation	PVC
Material - Plating Mating	Tin
Net Weight	0.775/g
Packaging Type	Bag
Stud Size	8 (M4)
Wire Insulation Diameter	3.68mm
Wire Size (AWG)	14, 16, 18, 22
Wire Size mm ²	0.25-1.50

Application Tooling

Global

Description	Part Number
PremiumGrade Hand Crimp Tool for Avikrimp and Insulkrimp Terminals and Splices, 10-22 AWG and 6.0-0.5mm ² (Rings, Spades, Hooks, Block Spades and Flanged Spades)	<u>640010100</u>
Crimp Head for the AT-200 Pneumatic Hand Tool	<u>640050100</u>
ServiceGrade Hand Crimp Tool for Field Repair only, for production use our PremiumGrade Tool	<u>640160036</u>