

## M12 A-coded st fem unshielded 4P PUR 30m



Image is for illustration purposes only. Please refer to product description.

Part number	21 34 850 0491 300
Specification	M12 A-coded st fem unshielded 4P PUR 30m
HARTING eCatalogue	<a href="https://b2b.harting.com/21348500491300">https://b2b.harting.com/21348500491300</a>

### Identification

Category	System cabling
Series	Circular connectors M12
Element	Cable assemblies
Specification	Pre-assembled on one side
Connector 1	M12 A-coding Female Straight
Type of cable	Copper cable (round)

### Version

Cable length	30 m
Number of cores	4
Core structure	4x 0.34 mm <sup>2</sup>
Coding	A-coding

### Material properties

Material (cable)	PUR (polyurethane)
Colour (cable)	Black
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained



**Pushing Performance**  
Since 1945

## Material properties

REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	760691ac-b4d2-427c-9996-5886190b813b
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead Nickel

## Commercial data

Packaging size	1
Net weight	1 g
Country of origin	Czechia
European customs tariff number	85444290
GTIN	5713140238886
ETIM	EC001855
eCl@ss	27060311 Assembled sensor actuator-line