

#### **MEAS**

TE Internal #: GA5K3A1A

TE Internal Description: DISCRETE 5K OHMS,+/-0.1C FROM 0C TO

70C

DISCRETE NTC SERIES I

View on TE.com >



Sensors > Temperature Sensors > NTC Thermistors Sensors & Probes > NTC Thermistors > DISCRETE NTC SERIES I



NTC Sensor Type: **Epoxy Coated NTC Thermistor** 

Lead Wire Length: 76 mm [ 2.992 in ]

Resistance (at 25°C):  $5 \text{ k}\Omega$  $\beta$ -Value(25/85): 3976 KTolerance  $\beta$ -Value:  $\pm .5 \%$ 

All DISCRETE NTC SERIES I (26)

### **Features**

### **Product Type Features**

| NTC Sensor Type             | Epoxy Coated NTC Thermistor |
|-----------------------------|-----------------------------|
| Tolerance $\beta$ -Value    | ±.5 %                       |
| Electrical Characteristics  |                             |
| <b>β</b> -Value(25/85)      | 3976 K                      |
| Dimensions                  |                             |
| Lead Wire Length            | 76 mm[2.992 in]             |
| Usage Conditions            |                             |
| Resistance (at 25°C)        | 5 kΩ                        |
| Operating Temperature Range | -40 - 125 °C[-40 - 257 °F]  |
| Operating Temperature (Max) | 125 °C[257 °F]              |

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant                               |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant                               |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |



| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC |
|--|---|
| Halogen Content                        | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                     |
|  |   |

Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Customers Also Bought





















### **Documents**

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_GA5K3A1A\_10.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_GA5K3A1A\_10.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_GA5K3A1A\_10.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

Series\_I\_Thermistor\_5K3A1

English

GA5K3A1 SERIES I THERMISTORS

English