
Data sheet

28739.6 KDS-DE-FB3/C GR



Seal, Mounting type: Plug in, Length 86.5 mm, Width: 20.3 mm, IP 66, Colour: Grey

RAL: 7032

Business data

Article number	28739.6
Article name	KDS-DE-FB3/C GR
GTIN (EAN)	4044211225735
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	14.5 g
Weight per piece (including packaging)	15.3 g
Unit of weight	G
Customs number	39259020
Country of origin	DE
Product description	Sealing Element
Colour	Grey

Data sheet

28739.6 KDS-DE-FB3/C GR

Technical data

Dimensions

Length	86.5 mm
Width	20.3 mm
Height	17.7 mm

Materials

Material	TPE
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	90 °C
Halogen-free	✓
Silicone-free	✓

Further technical data

Mounting type	Plug in
Degree of protection	IP66
Strain relief	✓
Cable width min.	64 mm
Cable width max.	69 mm
Cable thickness min.	11 mm
Cable thickness max.	12 mm

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet

28739.6 KDS-DE-FB3/C GR

Media

Data sheet

28739.6 KDS-DE-FB3/C GR

Accessories

##INVERSE##CONTA-CABLE



Cable entry with moulded-in seal, Mounting type: Screws, Length: 120 mm, Width: 39 mm, IP 66, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
28703.4	KDS-SR-FB3/A BK	4044211225506	10 ST