




Connectors > Automotive Connectors > Automotive Housings



Connector System: **Wire-to-Wire**

Number of Positions: **1**

Connector & Housing Type: **Housing for Male Terminals**

Sealable: **Yes**

Mating Pin Diameter: **5.72 mm [.225 in]**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Circular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	1
Number of Rows	0

Electrical Characteristics

Operating Voltage	250 VAC
Nominal Voltage Architecture	12 V, 24 V, 48 V

Body Features

--	--

Cable Exit Angle	180°
Primary Product Color	Black

Contact Features

Contact Size	Size 4
Contact Type	Pin
Mating Pin Diameter	5.72 mm[.225 in]
Contact Current Rating (Max)	100 A

Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	With
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PEI (Polyetherimide)
------------------	----------------------

Dimensions

Connector Height	29.72 mm[1.17 in]
Product Width	26.54 mm[1.045 in]
Product Length	55.07 mm[2.168 in]
Compatible Insulation Diameter Range	6.63 - 10.67 mm[.261 - .42 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 - 125 °C[-67 - 257 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

Degree of Protection	Not Tested
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	500
Packaging Method	Box

Other



Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-D487-M8649
DEUTSCH DT Mounting Clips



TE Part # 1924487-2
MOUNTING CLIP, AMPSEAL 16



TE Part # DTCE06-1-4S-E003
DTCE PLUG ASM



TE Part # 7G7920-6
SEAL PLUG, SIZE 4, BLU



TE Part # 4060-006-04141
PIN, SOLID, SIZE 4, 6AWG, NI

TE Part # 4060-005-04141
PIN, SOLID, SIZE 4, 4AWG, NI

TE Part # 4011-201-0400
EXT TOOL, SIZE 4, 4-6 AWG, CE, GRY

TE Part # 4060-009-04141
PIN, SOLID, SIZE 4, 4AWG, NI

Also in the Series | DEUTSCH DT

Automotive Connector Caps & Covers
(19)

Automotive Connector Locks & Position Assurance(74)

Automotive Housings(659)

Connector Backshells(60)

Connector Seals & Cavity Plugs(6)

Connector Strain Relief(28)

Insertion & Extraction Tools(3)

Other Automotive Connector Accessories(27)

PCB Headers & Receptacles(103)

Also in the Series | DEUTSCH DTHD



Automotive Housings(22)



Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part # AEC16-40SC
PLG, 40P, BLK, N, C



TE Part # DT13-6P
HDR, 6P, GRY, RA, NI/CU




TE Part # DT16-15SA-K003
PLG, 15P, BLK, E, A




TE Part # DTCE06-1-4S-E003
DTCE PLUG ASM




TE Part # 170943-000
2019E0309-0



TE Part # 4062-006-04141
SOC, SOLID, SIZE 4, 4AWG, NI



TE Part # 4060-005-04141
PIN, SOLID, SIZE 4, 4AWG, NI



TE Part # 1642624-4
FSN-73.2Z-4



TE Part # 3-1372259-3
SPARE PART P3X0 SERVO ANVIL
DRIVE



TE Part # 171363-7
MULTI INTERLOCK CONNECT HSG

Documents

Product Drawings

DTCE RECP ASM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_DTCE04-1-4P-E003_99_c-dtce04-1-4p-e003-99.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_DTCE04-1-4P-E003_99_c-dtce04-1-4p-e003-99.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_DTCE04-1-4P-E003_99_c-dtce04-1-4p-e003-99.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

Agency Approvals

[UL Report](#)

English