FLKM-PA-D37/ETHA - Front adapter

1076338

https://www.phoenixcontact.com/us/products/1076338

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

VARIOFACE front adapter for Siemens SIMATIC® ET 200SP HA, with a 37-pos. D-SUB male strip for digital 24 V DC and analog peripheral modules, max. 32 channels can be connected

Commercial data

Item number	1076338
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C421
Product key	CK231S
Catalog page	Page 512 (C-5-2019)
GTIN	4055626783543
Weight per piece (including packing)	77.6 g
Weight per piece (excluding packing)	80 g
Customs tariff number	85366990
Country of origin	DE

Technical data

Product properties

Product type	Front adapter
Product family	VARIOFACE

Insulation characteristics

Insulation	Functional insulation

Insulation characteristics: Air clearances and creepage distances

Insulation	Functional insulation
Overvoltage category	II
Pollution degree	2

Electrical properties

Operating voltage (AC)	≤ 30 V AC
Operating voltage (DC)	≤ 60 V DC
Nominal operating mode	100% operating factor
Current (per branch)	≤ 1 A
Current (Voltage supply via D-SUB)	≤ 2 A
Current (Voltage supply via screw connection)	≤ 10 A

Air clearances and creepage distances

Rated insulation voltage	63 V
Rated surge voltage	0.6 kV (1.2/50 µs)

Supported controller SIEMENS ET 200SP HA

Suitable terminal block	6DL1193-6TP00-0BH1
	6DL1193-6TP00-0DH1
	6DL1193-6TP00-0BM1
	6DL1193-6TP00-0DM1
Suitable I/O module	6DL1131-6BH00-0PH1 (Terminal Block H1/M1)
	6DL1131-6BL00-0PH1 (Terminal Block H1/M1)
	6DL1131-6TH00-0PH1 (Terminal Block H1/M1)
	6DL1132-6BH00-0PH1 (Terminal Block H1/M1)
	6DL1132-6BL00-0PH1 (Terminal Block H1/M1)
	6DL1133-6EW00-0PH1 (Terminal Block H1/M1)
	6DL1134-6JH00-0PH1 (Terminal Block H1/M1)
	6DL1134-6TH00-0PH1 (Terminal Block H1/M1)
	6DL1135-6TF00-0PH1 (Terminal Block H1/M1)

Connection data

Connection 1 (control level)

Connection method	Plug-in connection
Number of positions	36

Connection 2 (field level)

Connection in acc. with standard	IEC 60807-2
Connection method	D-SUB pin strip
Screw thread	UNC 4-40
Number of connections	1
Number of positions	37
Insertion/withdrawal cycles	> 500
Pitch	2.77 mm

Connection 3 (supply)

Connection method	Screw connection
Stripping length	10 mm
Number of connections	1
Number of positions	3
Conductor cross section rigid	0.34 mm² ... 2.5 mm²
Conductor cross-section rigid (2 conductors with same cross section)	0.2 mm² ... 1 mm²
Conductor cross section flexible	0.2 mm² ... 2.5 mm²
	0.25 mm² ... 2.5 mm² (Ferrule without plastic sleeve)
	0.25 mm² ... 2.5 mm² (Ferrule with plastic sleeve)
Conductor cross section flexible (2 conductors with same cross section)	0.2 mm² ... 1.5 mm²
	0.25 mm² ... 1 mm² (Ferrule without plastic sleeve)
	0.5 mm² ... 1.5 mm² (TWIN ferrule with plastic sleeve)
Conductor cross section AWG	24 ... 12
Tightening torque	0.5 Nm ... 0.6 Nm
Pitch	5.08 mm

Dimensions

Item dimensions

Width	88.56 mm
Height	22 mm
Depth	55.94 mm

Environmental and real-life conditions

Ambient conditions

Degree of protection (Module)	IP00
Degree of protection (Installation location)	≥ IP54
Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C
Altitude	≤ 2000 m

Approvals

UL, USA/Canada

Identification	UL 508 Recognized

Standards and regulations

Air clearances and creepage distances

Standards/regulations	EN IEC 60664-1

Mounting

Mounting type	Plug-in mounting
Mounting position	any

Notes

Notes on operation	For proper use, the specifications of the installation directive (see Downloads) must be observed. For applications or use with third-party products, the specifications, and the safety and warning instructions of the respective third-party manufacturer must also be met.
Assembly note	Once plugged in, the front adapter and terminal block form a single unit that can no longer be separated.

Drawings

Circuit diagram



Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1076338

cUL Recognized
Approval ID: FILE E 238705

UL Recognized
Approval ID: FILE E 238705

cULus Recognized

Classifications

ECLASS

ECLASS-11.0	27242292
ECLASS-12.0	27242292
ECLASS-13.0	27242292

ETIM

ETIM 9.0	EC002584

UNSPSC

UNSPSC 21.0	32151600

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Accessories

CABLE D-SUB-B-B-S/.../.../... - Cable

2302421

https://www.phoenixcontact.com/us/products/2302421

Shielded round cable, assembled with two D-SUB female strips (9-, 15-, 25-, 37-, or 50-pos.), variable cable length

VIP-2/SC/D37SUB/M/ET200SP-HA - Interface module

1100967

https://www.phoenixcontact.com/us/products/1100967

VARIOFACE module for the SIMATIC ET200SP HA with screw connections and male D-SUB connector, for mounting on NS 35 rails, 37-pos.

VIP-2/PT/D37SUB/M/ET200SP-HA - Interface module

1100964

https://www.phoenixcontact.com/us/products/1100964

VARIOFACE module for the SIMATIC ET200SP HA with push-in connections and male D-SUB connector, for mounting on NS 35 rails, 37-pos.

CABLE-D37SUB/B/B/ 100/KONFEK/S - Cable

2305509

https://www.phoenixcontact.com/us/products/2305509

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 1 m

CABLE-D37SUB/B/B/ 200/KONFEK/S - Cable

2305512

https://www.phoenixcontact.com/us/products/2305512

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 2 m

CABLE-D37SUB/B/B/ 300/KONFEK/S - Cable

2305525

https://www.phoenixcontact.com/us/products/2305525

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 3 m

CABLE-D37SUB/B/B/ 400/KONFEK/S - Cable

2900759

https://www.phoenixcontact.com/us/products/2900759

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 4 m

CABLE-D37SUB/B/B/ 600/KONFEK/S - Cable

2900760

https://www.phoenixcontact.com/us/products/2900760

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 6 m

CABLE-D37SUB/B/B/ 800/KONFEK/S - Cable

2900761

https://www.phoenixcontact.com/us/products/2900761

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 8 m

CABLE-D37SUB/B/B/1000/KONFEK/S - Cable

2900762

https://www.phoenixcontact.com/us/products/2900762

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 10 m

CABLE-D37SUB/B/B/1500/KONFEK/S - Cable

2900763

https://www.phoenixcontact.com/us/products/2900763

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 15 m

CABLE-D37SUB/B/B/2000/KONFEK/S - Cable

2900764

https://www.phoenixcontact.com/us/products/2900764

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 20 m

CABLE-D37SUB/B/B/2500/KONFEK/S - Cable

2902074

https://www.phoenixcontact.com/us/products/2902074

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 25 m

CABLE-D37SUB/B/B/3000/KONFEK/S - Cable

2902075

https://www.phoenixcontact.com/us/products/2902075

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 30 m

CABLE-D37SUB/B/B/3500/KONFEK/S - Cable

2902076

https://www.phoenixcontact.com/us/products/2902076

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 35 m

CABLE-D37SUB/B/B/4000/KONFEK/S - Cable

2902077

https://www.phoenixcontact.com/us/products/2902077

Assembled shielded round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 40 m

CABLE-D37SUB/B/B/HF/S/ 1,0M - Cable

2908516

https://www.phoenixcontact.com/us/products/2908516

Assembled, shielded, halogen-free round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 1 m

CABLE-D37SUB/B/B/HF/S/ 2,0M - Cable

2908517

https://www.phoenixcontact.com/us/products/2908517

Assembled, shielded, halogen-free round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 2 m

CABLE-D37SUB/B/B/HF/S/ 3,0M - Cable

2908518

https://www.phoenixcontact.com/us/products/2908518

Assembled, shielded, halogen-free round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 3 m

CABLE-D37SUB/B/B/HF/S/10,0M - Cable

2908522

https://www.phoenixcontact.com/us/products/2908522

Assembled, shielded, halogen-free round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 10 m

CABLE-D37SUB/B/B/HF/S/15,0M - Cable

2908523

https://www.phoenixcontact.com/us/products/2908523

Assembled, shielded, halogen-free round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 15 m

CABLE-D37SUB/B/B/HF/S/20,0M - Cable

2908525

https://www.phoenixcontact.com/us/products/2908525

Assembled, shielded, halogen-free round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 20 m

CABLE-D37SUB/B/B/HF/S/25,0M - Cable

2908526

https://www.phoenixcontact.com/us/products/2908526

Assembled, shielded, halogen-free round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: 25 m

CABLE-D37SUB-B-B-HF-S/... - Cable

1075563

https://www.phoenixcontact.com/us/products/1075563

Assembled, shielded, halogen-free round cable; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (1x 37-position); cable length: variable

CABLE-D37F/FLK50/1,0M/ETHA - Cable

1210707

https://www.phoenixcontact.com/us/products/1210707

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 1 m

CABLE-D37F/FLK50/2,0M/ETHA - Cable

1210706

https://www.phoenixcontact.com/us/products/1210706

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 2 m

CABLE-D37F/FLK50/3,0M/ETHA - Cable

1210708

https://www.phoenixcontact.com/us/products/1210708

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 3 m

CABLE-D37F/FLK50/4,0M/ETHA - Cable

1222442

https://www.phoenixcontact.com/us/products/1222442

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 4 m

CABLE-D37F/FLK50/6,0M/ETHA - Cable

1222438

https://www.phoenixcontact.com/us/products/1222438

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 6 m

CABLE-D37F/FLK50/8,0M/ETHA - Cable

1222447

https://www.phoenixcontact.com/us/products/1222447

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 8 m

CABLE-D37F/FLK50/10,0M/ETHA - Cable

1222255

https://www.phoenixcontact.com/us/products/1222255

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: 10 m

CABLE-D37F-FLK50-ETHA/... - Cable

1530080

https://www.phoenixcontact.com/us/products/1530080

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: variable

CABLE-D37F-FLK50-HF-ETHA/... - Cable

1530079

https://www.phoenixcontact.com/us/products/1530079

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: IDC/FLK socket strip (1x 50-position); cable length: variable

CABLE-D37F/4XD15F/1,0M/ETHA - Cable

1119198

https://www.phoenixcontact.com/us/products/1119198

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 1 m

CABLE-D37F/4XD15F/2,0M/ETHA - Cable

1119200

https://www.phoenixcontact.com/us/products/1119200

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 2 m

CABLE-D37F/4XD15F/3,0M/ETHA - Cable

1119201

https://www.phoenixcontact.com/us/products/1119201

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 3 m

FLKM-PA-D37/ETHA - Front adapter

1076338

https://www.phoenixcontact.com/us/products/1076338

CABLE-D37F/4XD15F/4,0M/ETHA - Cable

1119202

https://www.phoenixcontact.com/us/products/1119202

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 4 m

CABLE-D37F/4XD15F/6,0M/ETHA - Cable

1119204

https://www.phoenixcontact.com/us/products/1119204

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 6 m

CABLE-D37F/4XD15F/8,0M/ETHA - Cable

1119206

https://www.phoenixcontact.com/us/products/1119206

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 8 m

CABLE-D37F/4XD15F/10,0M/ETHA - Cable

1119210

https://www.phoenixcontact.com/us/products/1119210

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 10 m

CABLE-D37F/4XD15F/15,0M/ETHA - Cable

1119212

https://www.phoenixcontact.com/us/products/1119212

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 15 m

CABLE-D37F/4XD15F/20,0M/ETHA - Cable

1119215

https://www.phoenixcontact.com/us/products/1119215

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 20 m

CABLE-D37F/4XD15F/25,0M/ETHA - Cable

1119218

https://www.phoenixcontact.com/us/products/1119218

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 25 m

CABLE-D37F/4XD15F/30,0M/ETHA - Cable

1119220

https://www.phoenixcontact.com/us/products/1119220

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 30 m

CABLE-D37F/4XD15F/35,0M/ETHA - Cable

1119191

https://www.phoenixcontact.com/us/products/1119191

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 35 m

CABLE-D37F/4XD15F/40,0M/ETHA - Cable

1119223

https://www.phoenixcontact.com/us/products/1119223

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 40 m

CABLE-D37F-4XD15F-ETHA/... - Cable

1134506

https://www.phoenixcontact.com/us/products/1134506

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: variable

CABLE-D37F/4XD15F/HF/1M/ETHA - Cable

1331995

https://www.phoenixcontact.com/us/products/1331995

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 1 m

CABLE-D37F/4XD15F/HF/2M/ETHA - Cable

1331992

https://www.phoenixcontact.com/us/products/1331992

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 2 m

CABLE-D37F/4XD15F/HF/3M/ETHA - Cable

1331991

https://www.phoenixcontact.com/us/products/1331991

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 3 m

CABLE-D37F/4XD15F/HF/4M/ETHA - Cable

1331987

https://www.phoenixcontact.com/us/products/1331987

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 4 m

CABLE-D37F/4XD15F/HF/6M/ETHA - Cable

1331982

https://www.phoenixcontact.com/us/products/1331982

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 6 m

CABLE-D37F/4XD15F/HF/8M/ETHA - Cable

1331981

https://www.phoenixcontact.com/us/products/1331981

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 8 m

CABLE-D37F/4XD15F/HF/10M/ETHA - Cable

1331977

https://www.phoenixcontact.com/us/products/1331977

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: 10 m

CABLE-D37F-4XD15F-HF-ETHA/... - Cable

1530083

https://www.phoenixcontact.com/us/products/1530083

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (4x 15-position); cable length: variable

CABLE-D37F/2XD15F/1M/ETHA - Cable

1258787

https://www.phoenixcontact.com/us/products/1258787

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 1 m

CABLE-D37F/2XD15F/2M/ETHA - Cable

1258793

https://www.phoenixcontact.com/us/products/1258793

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 2 m

CABLE-D37F/2XD15F/3M/ETHA - Cable

1258817

https://www.phoenixcontact.com/us/products/1258817

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 3 m

CABLE-D37F/2XD15F/4M/ETHA - Cable

1258819

https://www.phoenixcontact.com/us/products/1258819

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 4 m

CABLE-D37F/2XD15F/6M/ETHA - Cable

1258820

https://www.phoenixcontact.com/us/products/1258820

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 6 m

CABLE-D37F/2XD15F/8M/ETHA - Cable

1258827

https://www.phoenixcontact.com/us/products/1258827

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 8 m

CABLE-D37F/2XD15F/10M/ETHA - Cable

1258833

https://www.phoenixcontact.com/us/products/1258833

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 10 m

CABLE-D37F-2XD15F-ETHA/... - Cable

1530082

https://www.phoenixcontact.com/us/products/1530082

Round cable set; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: variable

CABLE-D37F/2XD15F/HF/1M/ETHA - Cable

1276251

https://www.phoenixcontact.com/us/products/1276251

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 1 m

CABLE-D37F/2XD15F/HF/2M/ETHA - Cable

1276385

https://www.phoenixcontact.com/us/products/1276385

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 2 m

CABLE-D37F/2XD15F/HF/3M/ETHA - Cable

1276432

https://www.phoenixcontact.com/us/products/1276432

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 3 m

CABLE-D37F/2XD15F/HF/4M/ETHA - Cable

1276387

https://www.phoenixcontact.com/us/products/1276387

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 4 m

CABLE-D37F/2XD15F/HF/6M/ETHA - Cable

1276388

https://www.phoenixcontact.com/us/products/1276388

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 6 m

CABLE-D37F/2XD15F/HF/8M/ETHA - Cable

1276390

https://www.phoenixcontact.com/us/products/1276390

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 8 m

CABLE-D37F/2XD15F/HF/10M/ETHA - Cable

1276391

https://www.phoenixcontact.com/us/products/1276391

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: 10 m

FLKM-PA-D37/ETHA - Front adapter

1076338

https://www.phoenixcontact.com/us/products/1076338

CABLE-D37F-2XD15F-HF-ETHA/... - Cable

1530081

https://www.phoenixcontact.com/us/products/1530081

Assembled, halogen-free round cable; controller: Siemens SIMATIC® ET 200SP HA; connection 1: D-SUB socket strip (1x 37-position); connection 2: D-SUB socket strip (2x 15-position); cable length: variable

Phoenix Contact 2024 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com