



- 注記 :
NOTES :
- ① 材料及び仕上げ(めっき仕様) : TABLE 1, TABLE2 参照
MATERIAL AND FINISHES (PLATING SPECIFICATION) : SEE TABLE 1, TABLE2.
 - ② 製品仕様書、コネクタ取扱説明書、適合嵌合相手、適合リテーナーはSHEET 4を
ご参照下さい。
PLEASE REFER TO SHEET 4 FOR PRODUCT SPECIFICATION,
APPLICATION SPECIFICATION, MATE WITH AND APPLICABLE RETAINER.
 - ③ 端子テール部 及び ネイルの平坦度 : 0.12 MAXIMUM
TAIL AND NAIL COPLANARITY TO BE 0.12 MAXIMUM
 - ④ 極数 / 2 = 偶数に適合
APPLY TO CIRCUIT SIZE / 2 = EVEN.
 - ⑤ 発注番号 : SHEET 4 参照
ORDER NUMBER : PLEASE REFER TO SHEET 4

NO.	ハウジングカラー HOUSING COLOR
0	ナチュラル(ベージュ) NATURAL(BEIGE)
1	黒 BLACK
2	赤 RED
4	青 BLUE
6	緑 GREEN

29.4	26.25	25	30.85	42
28.15	25	23.75	29.6	40
26.9	23.75	22.5	28.35	38
25.65	22.5	21.25	27.1	36
24.4	21.25	20	25.85	34
23.15	20	18.75	24.6	32
21.9	18.75	17.5	23.35	30
20.65	17.5	16.25	22.1	28
19.4	16.25	15	20.85	26
18.15	15	13.75	19.6	24
16.9	13.75	12.5	18.35	22
15.65	12.5	11.25	17.1	20
14.4	11.25	10	15.85	18
13.15	10	8.75	14.6	16
11.9	8.75	7.5	13.35	14
10.65	7.5	6.25	12.1	12
9.4	6.25	5	10.85	10
8.15	5	3.75	9.6	8
D	C	B	A	極数 CIRCUIT SIZE

① TABLE 1

番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	ポリアミド(PA), UL94V-0, 色 : SHEET 4参照 POLYAMIDE(PA), UL94V-0, COLOR : SEE SHEET 4
②	ターミナル 及び ネイル AND NAIL	黄銅 BRASS
③		錫ビスマスめっき : 1.0 MICROMETER MINIMUM TIN-BISMUTH PLATING
④		ニッケルめっき(下地めっき): 1.0 MICROMETER MINIMUM NICKEL PLATING (UNDER PLATING)

DOCUMENT STATUS	P1	RELEASE DATE	2023/02/16	15:22:26
-----------------	----	--------------	------------	----------

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE
mm	NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL	±	3.0 °
4 PLACES	±	0.2
3 PLACES	±	0.2
2 PLACES	±	0.2
1 PLACE	±	0.2
0 PLACES	±	0.2

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 736271
DRWN: SOKUMURA01
CHK'D: SAKIYAMA
APPR: AIDA

2023/02/01
2023/02/16
2023/02/16

INITIAL REVISION:
DRWN: TAKAIKE
APPR: TKANEKO

2017/01/18
2017/04/03

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

molex

MICRO-LOCK PLUS 1.25 W/B
DUAL ROW RIGHT ANGLE SMT PLUG ASSEMBLY
TIN-BISMUTH PLATING

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

DOC TYPE

DOC PART

REVISION

5054480000

PSD

000

D

SEE SHEET 4


GENERAL

1 OF 4


A3-SIZE

505448


製品形状
PRODUCT SHAPE




8-14極
8-14 CIRCUIT




16-24極
16-24 CIRCUIT



26-32極
26-32 CIRCUIT




34-40極
34-40 CIRCUIT



42極
42 CIRCUIT



基板パターンレイアウト PCB PATTERN LAYOUT




 基板パターンレイアウト (参考)
(参考: 基板厚 1.6mm, メタルマスク厚さ 0.15mm, マスク開口率 100%)
RECOMMEND PCB LAYOUT : COMPONENT SIDE
(REFERENCE : PCB THICKNESS 1.6mm, STENCIL THICKNESS 0.15mm, APERTURE RATIO 100%)

 パターン非推奨エリア
パターンを引き回す際は、製品機能に影響がないことをご確認ください。
PATTERN IS NOT RECOMMENDED ON THE HATCHING AREA
PLEASE CHECK NOT TO HAVE PROBLEM FOR PRODUCT FUNCTION
WHEN SETTING PATTERN ON THE HATCHING AREA.

嵌合状態図 MATED CONNECTORS




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex						
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				MICRO-LOCK PLUS 1.25 W/B DUAL ROW RIGHT ANGLE SMT PLUG ASSEMBLY TIN-BISMUTH PLATING									
ANGULAR TOL ± 3.0°													
4 PLACES		± 0.2		EC NO: 736271			PRODUCT CUSTOMER DRAWING						
3 PLACES		± 0.2		DRWN: SOKUMURA01 2023/02/01									
2 PLACES		± 0.2		CHK'D: SAKIYAMA 2023/02/16									
1 PLACES ± 0.2				APPR: AIDA 2023/02/16			DOCUMENT NUMBER 5054480000			DOC TYPE		DOC PART	REVISION
0 PLACES ± 0.2				INITIAL REVISION: DRWN: TAKAIKE 2017/01/18 APPR: TKANEKO 2017/04/03						PSD		000	D
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE	505448	SEE SHEET 4		GENERAL		2 OF 4	



注記 NOTES

6. 梱包数量 : 500個
NUMBER OF CONNECTIONS : 500 PIECES/REEL.
7. 梱包仕様書 : 5054489200 PS 200
PACKING SPECIFICATION : 5054489200 PS 200
8. リードテープ長さ
LEAD TAPE LENGTH



9. トップテープの剥離強度については、IEC60286-3に準拠
TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3.

TABLE 2

番号 NO.	部品 PART	材質 MATERIAL
⑤	エンボステープ EMBOSSSED TAPE	ポリスチレン(PS) POLYSTYRENE(PS)
⑥	トップテープ TOP TAPE	ポリエチレン(PE)、その他 POLYETHYLENE(PE), OTHER
⑦	リール REEL	ポリスチレン(PS) <リサイクル材を含む> POLYSTYRENE(PS) < RECYCLE MATERIRAL CONTAINED >

DOCUMENT STATUS	P1	RELEASE DATE	2023/02/16	15:22:26
-----------------	----	--------------	------------	----------

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex	
DIMENSION UNITS mm	SCALE NTS				
GENERAL TOLERANCES (UNLESS SPECIFIED)				MICRO-LOCK PLUS 1.25 W/B DUAL ROW RIGHT ANGLE SMT PLUG ASSEMBLY TIN-BISMUTH PLATING	
ANGULAR TOL	± 3.0 °			PRODUCT CUSTOMER DRAWING	
4 PLACES	± 0.2	EC NO: 736271 DRWN: SOKUMURA01 CHK'D: SAKIYAMA APPR: AIDA		2023/02/01 2023/02/16 2023/02/16	
3 PLACES	± 0.2	INITIAL REVISION:		DOCUMENT NUMBER	
2 PLACES	± 0.2	DRWN: TAKAIKE APPR: TKANEKO		5054480000	
1 PLACE	± 0.2	2017/01/18 2017/04/03		DOC TYPE PSD	
0 PLACES	± 0.2			DOC PART 000	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING A3-SIZE	SERIES 505448	SHEET NUMBER 3 OF 4

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
△2 適合製品及び各種仕様書 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS <table><tr><td colspan="2">梱包仕様書 PACKAGING SPECIFICATION</td><td colspan="8">5054489200 PS 200</td></tr><tr><td rowspan="2">適合嵌合相手 MATE WITH</td><td>シリーズ番号 SERIES NUMBER</td><td colspan="2">505432</td><td colspan="6">214527</td></tr><tr><td>リテーナー対応 RETAINER COMPLIANT</td><td colspan="2">NOT COMPLIANT</td><td colspan="6">COMPLIANT (NATURAL, BLACK, RED, BLUE)</td></tr><tr><td colspan="2">適合リテーナーシリーズ番号 APPLICABLE RETAINER SERIES NUMBER</td><td colspan="2">-</td><td colspan="6">214528</td></tr><tr><td colspan="2">製品仕様書 PRODUCT SPECIFICATION</td><td colspan="2">5054320000 PS 002</td><td colspan="6">2145270000-PS PS 000</td></tr><tr><td colspan="2">コネクタ取扱説明書 APPLICATION SPECIFICATION</td><td colspan="8">5054320000-AS PS 000</td></tr></table>										梱包仕様書 PACKAGING SPECIFICATION		5054489200 PS 200								適合嵌合相手 MATE WITH	シリーズ番号 SERIES NUMBER	505432		214527						リテーナー対応 RETAINER COMPLIANT	NOT COMPLIANT		COMPLIANT (NATURAL, BLACK, RED, BLUE)						適合リテーナーシリーズ番号 APPLICABLE RETAINER SERIES NUMBER		-		214528						製品仕様書 PRODUCT SPECIFICATION		5054320000 PS 002		2145270000-PS PS 000						コネクタ取扱説明書 APPLICATION SPECIFICATION		5054320000-AS PS 000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
梱包仕様書 PACKAGING SPECIFICATION		5054489200 PS 200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
適合嵌合相手 MATE WITH	シリーズ番号 SERIES NUMBER	505432		214527																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	リテーナー対応 RETAINER COMPLIANT	NOT COMPLIANT		COMPLIANT (NATURAL, BLACK, RED, BLUE)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
適合リテーナーシリーズ番号 APPLICABLE RETAINER SERIES NUMBER		-		214528																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
製品仕様書 PRODUCT SPECIFICATION		5054320000 PS 002		2145270000-PS PS 000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
コネクタ取扱説明書 APPLICATION SPECIFICATION		5054320000-AS PS 000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
△5 505448**7* 製品番号一覧 PRODUCT NUMBER LIST <table><tr><td>GREEN</td><td>BLUE</td><td>RED</td><td>BLACK</td><td>NATURAL (BEIGE)</td><td>HOUSING COLOR</td></tr><tr><td>5054484276</td><td>5054484274</td><td>5054484272</td><td>5054484271</td><td>5054484270</td><td>42</td></tr><tr><td>5054484076</td><td>5054484074</td><td>5054484072</td><td>5054484071</td><td>5054484070</td><td>40</td></tr><tr><td>5054483876</td><td>5054483874</td><td>5054483872</td><td>5054483871</td><td>5054483870</td><td>38</td></tr><tr><td>5054483676</td><td>5054483674</td><td>5054483672</td><td>5054483671</td><td>5054483670</td><td>36</td></tr><tr><td>5054483476</td><td>5054483474</td><td>5054483472</td><td>5054483471</td><td>5054483470</td><td>34</td></tr><tr><td>5054483276</td><td>5054483274</td><td>5054483272</td><td>5054483271</td><td>5054483270</td><td>32</td></tr><tr><td>5054483076</td><td>5054483074</td><td>5054483072</td><td>5054483071</td><td>5054483070</td><td>30</td></tr><tr><td>5054482876</td><td>5054482874</td><td>5054482872</td><td>5054482871</td><td>5054482870</td><td>28</td></tr><tr><td>5054482676</td><td>5054482674</td><td>5054482672</td><td>5054482671</td><td>5054482670</td><td>26</td></tr><tr><td>5054482476</td><td>5054482474</td><td>5054482472</td><td>5054482471</td><td>5054482470</td><td>24</td></tr><tr><td>5054482276</td><td>5054482274</td><td>5054482272</td><td>5054482271</td><td>5054482270</td><td>22</td></tr><tr><td>5054482076</td><td>5054482074</td><td>5054482072</td><td>5054482071</td><td>5054482070</td><td>20</td></tr><tr><td>5054481876</td><td>5054481874</td><td>5054481872</td><td>5054481871</td><td>5054481870</td><td>18</td></tr><tr><td>5054481676</td><td>5054481674</td><td>5054481672</td><td>5054481671</td><td>5054481670</td><td>16</td></tr><tr><td>5054481476</td><td>5054481474</td><td>5054481472</td><td>5054481471</td><td>5054481470</td><td>14</td></tr><tr><td>5054481276</td><td>5054481274</td><td>5054481272</td><td>5054481271</td><td>5054481270</td><td>12</td></tr><tr><td>5054481076</td><td>5054481074</td><td>5054481072</td><td>5054481071</td><td>5054481070</td><td>10</td></tr><tr><td>5054480876</td><td>5054480874</td><td>5054480872</td><td>5054480871</td><td>5054480870</td><td>8</td></tr><tr><td colspan="5">発注番号 ORDER NO.</td><td rowspan="2">極数 CIRCUIT SIZE</td></tr><tr><td colspan="5">梱包形態：エンボステープ梱包 PACKAGING STYLE：EMBOSSSED TAPE AND REEL</td></tr></table>										GREEN	BLUE	RED	BLACK	NATURAL (BEIGE)	HOUSING COLOR	5054484276	5054484274	5054484272	5054484271	5054484270	42	5054484076	5054484074	5054484072	5054484071	5054484070	40	5054483876	5054483874	5054483872	5054483871	5054483870	38	5054483676	5054483674	5054483672	5054483671	5054483670	36	5054483476	5054483474	5054483472	5054483471	5054483470	34	5054483276	5054483274	5054483272	5054483271	5054483270	32	5054483076	5054483074	5054483072	5054483071	5054483070	30	5054482876	5054482874	5054482872	5054482871	5054482870	28	5054482676	5054482674	5054482672	5054482671	5054482670	26	5054482476	5054482474	5054482472	5054482471	5054482470	24	5054482276	5054482274	5054482272	5054482271	5054482270	22	5054482076	5054482074	5054482072	5054482071	5054482070	20	5054481876	5054481874	5054481872	5054481871	5054481870	18	5054481676	5054481674	5054481672	5054481671	5054481670	16	5054481476	5054481474	5054481472	5054481471	5054481470	14	5054481276	5054481274	5054481272	5054481271	5054481270	12	5054481076	5054481074	5054481072	5054481071	5054481070	10	5054480876	5054480874	5054480872	5054480871	5054480870	8	発注番号 ORDER NO.					極数 CIRCUIT SIZE	梱包形態：エンボステープ梱包 PACKAGING STYLE：EMBOSSSED TAPE AND REEL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
GREEN	BLUE	RED	BLACK	NATURAL (BEIGE)	HOUSING COLOR																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054484276	5054484274	5054484272	5054484271	5054484270	42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054484076	5054484074	5054484072	5054484071	5054484070	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054483876	5054483874	5054483872	5054483871	5054483870	38																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054483676	5054483674	5054483672	5054483671	5054483670	36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054483476	5054483474	5054483472	5054483471	5054483470	34																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054483276	5054483274	5054483272	5054483271	5054483270	32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054483076	5054483074	5054483072	5054483071	5054483070	30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054482876	5054482874	5054482872	5054482871	5054482870	28																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054482676	5054482674	5054482672	5054482671	5054482670	26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054482476	5054482474	5054482472	5054482471	5054482470	24																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054482276	5054482274	5054482272	5054482271	5054482270	22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054482076	5054482074	5054482072	5054482071	5054482070	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054481876	5054481874	5054481872	5054481871	5054481870	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054481676	5054481674	5054481672	5054481671	5054481670	16																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054481476	5054481474	5054481472	5054481471	5054481470	14																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054481276	5054481274	5054481272	5054481271	5054481270	12																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054481076	5054481074	5054481072	5054481071	5054481070	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
5054480876	5054480874	5054480872	5054480871	5054480870	8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
発注番号 ORDER NO.					極数 CIRCUIT SIZE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
梱包形態：エンボステープ梱包 PACKAGING STYLE：EMBOSSSED TAPE AND REEL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
<table><tr><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td>DIMENSION UNITS</td><td>SCALE</td><td colspan="3" rowspan="5">CURRENT REV DESC:</td><td colspan="5" rowspan="4"> molex MICRO-LOCK PLUS 1.25 W/B DUAL ROW RIGHT ANGLE SMT PLUG ASSEMBLY TIN-BISMUTH PLATING </td></tr><tr><td>mm</td><td>NTS</td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td>ANGULAR TOL</td><td>± 3.0 °</td></tr><tr><td>4 PLACES</td><td>± 0.2</td><td colspan="3">EC NO: 736271</td><td colspan="3">2023/02/01</td></tr><tr><td>3 PLACES</td><td>± 0.2</td><td colspan="3">DRWN: SOKUMURA01</td><td colspan="3">2023/02/16</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td colspan="3">CHK'D: SAKIYAMA</td><td colspan="3">2023/02/16</td></tr><tr><td>1 PLACE</td><td>± 0.2</td><td colspan="3">APPR: AIDA</td><td colspan="3">2023/02/16</td></tr><tr><td>0 PLACES</td><td>± 0.2</td><td colspan="3">INITIAL REVISION:</td><td colspan="3">DOCUMENT NUMBER</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td>CUSTOMER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>A3-SIZE</td><td>505448</td><td>SEE CHART</td><td>GENERAL</td><td>PSD</td><td>000</td><td>D</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><</table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DIMENSION UNITS	SCALE	CURRENT REV DESC:			molex MICRO-LOCK PLUS 1.25 W/B DUAL ROW RIGHT ANGLE SMT PLUG ASSEMBLY TIN-BISMUTH PLATING					mm	NTS	GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL	± 3.0 °	4 PLACES	± 0.2	EC NO: 736271			2023/02/01			3 PLACES	± 0.2	DRWN: SOKUMURA01			2023/02/16			2 PLACES	± 0.2	CHK'D: SAKIYAMA			2023/02/16			1 PLACE	± 0.2	APPR: AIDA			2023/02/16			0 PLACES	± 0.2	INITIAL REVISION:			DOCUMENT NUMBER			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	DOC TYPE	DOC PART	REVISION					A3-SIZE	505448	SEE CHART	GENERAL	PSD	000	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
DIMENSION UNITS	SCALE	CURRENT REV DESC:			molex MICRO-LOCK PLUS 1.25 W/B DUAL ROW RIGHT ANGLE SMT PLUG ASSEMBLY TIN-BISMUTH PLATING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
mm	NTS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
ANGULAR TOL	± 3.0 °																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
4 PLACES	± 0.2				EC NO: 736271			2023/02/01																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
3 PLACES	± 0.2	DRWN: SOKUMURA01			2023/02/16																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
2 PLACES	± 0.2	CHK'D: SAKIYAMA			2023/02/16																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
1 PLACE	± 0.2	APPR: AIDA			2023/02/16																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
0 PLACES	± 0.2	INITIAL REVISION:			DOCUMENT NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	DOC TYPE	DOC PART	REVISION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				A3-SIZE	505448	SEE CHART	GENERAL	PSD	000	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					