

Han EMC/B 10 Base Panel



| Part number | 09 62 810 0301 |
|--------------------|-------------------------------------|
| Specification | Han EMC/B 10 Base Panel |
| HARTING eCatalogue | https://b2b.harting.com/09628100301 |

Image is for illustration purposes only. Please refer to product description.

Identification

| Category | Hoods/Housings |
|-----------------------------|--------------------------|
| Series of hoods/housings | Han [®] EMC/B |
| Type of hood/housing | Bulkhead mounted housing |
| Description of hood/housing | Internal seal |
| Туре | Low construction |

Version

| Locking type | Double locking lever |
|----------------------------|--|
| Han-Easy Lock [®] | Yes |
| Size | 10 B |
| Field of application | Hoods/Housings for higher EMC requirements |

Technical characteristics

| Limiting temperature | -40 +125 °C |
|--|-------------|
| Degree of protection acc. to IEC 60529 | IP65 |
| Type rating acc. to UL 50 / UL 50E | 4 12 |
| | 12 |

Material properties

| Material (hood/housing) | Aluminium die-cast |
|-------------------------|--------------------|
| Surface (hood/housing) | Uncoated |
| Colour (hood/housing) | Unpainted |
| Material (seal) | NBR |



Material properties

| Material (locking) | Polycarbonate (PC) Stainless steel |
|--|---|
| Colour (locking) | RAL 7037 (dust grey) |
| Material flammability class acc. to UL 94 (locking levers) | V-0 |
| RoHS | compliant |
| ELV status | compliant |
| China RoHS | е |
| REACH Annex XVII substances | No |
| REACH ANNEX XIV substances | No |
| REACH SVHC substances | Yes |
| REACH SVHC substances | Potassium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate |

Specifications and approvals

| Approvals | DNV GL |
|-----------|--|
| UL / CSA | UL 1977 ECBT2.E235076 CSA-C22.2 No. 182.3 ECBT8.E235076 |
| CE | Yes |

Commercial data

| Packaging size | 1 |
|--------------------------------|--|
| Net weight | 122.2 g |
| Country of origin | Germany |
| European customs tariff number | 85389099 |
| eCl@ss | 27440202 Shell for industrial connectors |