

Part Number: 936010104

Series Number: 93601

**Product Description :** GWconnect Crimp Contact Insert, Male, 40-Pole, 10A, for Turned or Stamped Crimp Contacts, Size 16B «77x27»

Status: Active

**Product Category:** Heavy-Duty Connectors

Engineering Number: 7140.4118.0

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### **EU RoHS Certificate of Compliance**

#### **Part Details**

#### General

Status	Active
Category	Heavy-Duty Connectors
Series	93601

Description	GWconnect Crimp Contact Insert, Male, 40-Pole, 10A, for Turned or Stamped Crimp Contacts, Size 16B «77x27»
Component Type	Inserts - Crimp Contact
Insert Series	S-D
Product Family	GWconnect Heavy Duty Connectors (HDC)
Product Name	GWconnect
Standard	CSA C22.2 NO. 182.3, EN 175301- 801, EN 60664-1, EN 61984, UL 1977
UPC	887191870724

# Agency

CSA	256883
UL	E249674

# Electrical

Current - Maximum per Contact	10.0A
Voltage - Maximum	250V

# Physical

Component Size	16B «77X27»
Durability (mating cycles max)	500
Gender	Male
Insert Color	Grey
Material - Insert	Polycarbonate
Net Weight	55.700/g
Number of Rows	4
Packaging Type	Bag
Polarized to Mating Part	Yes
Poles	40
Temperature Range - Operating	-40° to +125°C

# Mates With / Use With

# Mates with Part(s)

Description	Part Number
GWconnect Crimp Contact Insert, Female, 40-Pole, 10A, for Turned or Stamped Crimp Contacts, Size 16B «77x27»	<u>936010103</u>

# Use with Part(s)

Description	Part Number
Use With	Turned or Stamped Contacts - Male

This document was generated on Jun 05, 2024